

- 2 -

シリーズ名	ファミリ名	タイプ名	モデル
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_Black	AH51779(1200mm,位相調光タイプ,3500K)	AH51779
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_Black	AH51780(1200mm,位相調光タイプ,4000K)	AH51780
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_Black	AH51781(1200mm,位相調光タイプ,5000K)	AH51781
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_White	AH51772(1200mm,位相調光タイプ,2700K)	AH51772
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_White	AH51773(1200mm,位相調光タイプ,3000K)	AH51773
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_White	AH51774(1200mm,位相調光タイプ,3500K)	AH51774
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_White	AH51775(1200mm,位相調光タイプ,4000K)	AH51775
Solid Seamless Slim	Koizumi_SolidSeamlessSlim_PlugType_White	AH51776(1200mm,位相調光タイプ,5000K)	AH51776
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Black	AH51508(1500mm,位相調光タイプ,5000K)	AH51508
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Black	AH51510(1200mm,位相調光タイプ,5000K)	AH51510
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Black	AH51512(900mm,位相調光タイプ,5000K)	AH51512
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Black	AH51514(600mm,位相調光タイプ,5000K)	AH51514
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51515(1500mm,位相調光タイプ,2700K)	AH51515
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51516(1500mm,位相調光タイプ,5000K)	AH51516
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51517(1200mm,位相調光タイプ,2700K)	AH51517
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51518(1200mm,位相調光タイプ,5000K)	AH51518
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51519(900mm,位相調光タイプ,2700K)	AH51519
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51520(900mm,位相調光タイプ,5000K)	AH51520
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51521(600mm,位相調光タイプ,2700K)	AH51521
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_Silver	AH51522(600mm,位相調光タイプ,5000K)	AH51522
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50554(1500mm,調光タイプ,5000K,単体)	AH50554
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50555(1500mm,調光タイプ,4000K,単体)	AH50555
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50556(1500mm,調光タイプ,3500K,単体)	AH50556
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50557(1500mm,調光タイプ,3000K,単体)	AH50557
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50558(1500mm,調光タイプ,2700K,単体)	AH50558
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50559(1200mm,調光タイプ,5000K,単体)	AH50559
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50560(1200mm,調光タイプ,4000K,単体)	AH50560
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50561(1200mm,調光タイプ,3500K,単体)	AH50561
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50562(1200mm,調光タイプ,3000K,単体)	AH50562
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50563(1200mm,調光タイプ,2700K,単体)	AH50563
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50564(900mm,調光タイプ,5000K,単体)	AH50564
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50565(900mm,調光タイプ,4000K,単体)	AH50565
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50566(900mm,調光タイプ,3500K,単体)	AH50566
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50567(900mm,調光タイプ,3000K,単体)	AH50567
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50568(900mm,調光タイプ,2700K,単体)	AH50568
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50569(600mm,調光タイプ,5000K,単体)	AH50569
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50570(600mm,調光タイプ,4000K,単体)	AH50570
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50571(600mm,調光タイプ,3500K,単体)	AH50571
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50572(600mm,調光タイプ,3000K,単体)	AH50572
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	AH50573(600mm,調光タイプ,2700K,単体)	AH50573
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51868(1500mm,PWM/DALI切替式,2700K)	XH51868
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51869(1500mm,PWM/DALI切替式,3000K)	XH51869
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51870(1500mm,PWM/DALI切替式,3500K)	XH51870
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51871(1500mm,PWM/DALI切替式,4000K)	XH51871
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51872(1500mm,PWM/DALI切替式,5000K)	XH51872
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51873(1200mm,PWM/DALI切替式,2700K)	XH51873
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51874(1200mm,PWM/DALI切替式,3000K)	XH51874
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51875(1200mm,PWM/DALI切替式,3500K)	XH51875
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51876(1200mm,PWM/DALI切替式,4000K)	XH51876
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51877(1200mm,PWM/DALI切替式,5000K)	XH51877
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51878(900mm,PWM/DALI切替式,2700K)	XH51878
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51879(900mm,PWM/DALI切替式,3000K)	XH51879
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51880(900mm,PWM/DALI切替式,3500K)	XH51880
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51881(900mm,PWM/DALI切替式,4000K)	XH51881
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH51882(900mm,PWM/DALI切替式,5000K)	XH51882
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH52115(1500mm,DALI調光調色,2700~5000K)	XH52115
Solid Seamless Slim	koizumi_SolidSeamlessSlim_PendantBody_White	XH52116(1200mm,DALI調光調色,2700~5000K)	XH5

- 4 -

シリーズ名	ファミリ名	タイプ名	モデル
Rigid Seamless	Koizumi_RigidSeamless	AL92023L(285mm,調光タイプ,5000K)	AL92023L
Rigid Seamless	Koizumi_RigidSeamless	AL92024L(103mm,調光タイプ,5000K)	AL92024L
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50783(6165lm,ON-OFFタイプ,3000K)	AH92231+AE50783
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50784(6250lm,ON-OFFタイプ,3500K)	AH92231+AE50784
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50785(6425lm,ON-OFFタイプ,4000K)	AH92231+AE50785
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50786(6600lm,ON-OFFタイプ,5000K)	AH92231+AE50786
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50787(4530lm,ON-OFFタイプ,3000K)	AH92231+AE50787
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50788(4595lm,ON-OFFタイプ,3500K)	AH92231+AE50788
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50789(4720lm,ON-OFFタイプ,4000K)	AH92231+AE50789
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50790(4850lm,ON-OFFタイプ,5000K)	AH92231+AE50790
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50804(6165lm,PWM/DALI切替式,3000K)	AH92231+AE50804
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50805(6250lm,PWM/DALI切替式,3500K)	AH92231+AE50805
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50806(6425lm,PWM/DALI切替式,4000K)	AH92231+AE50806
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50807(6600lm,PWM/DALI切替式,5000K)	AH92231+AE50807
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50808(4530lm,PWM/DALI切替式,3000K)	AH92231+AE50808
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50809(4595lm,PWM/DALI切替式,3500K)	AH92231+AE50809
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50810(4720lm,PWM/DALI切替式,4000K)	AH92231+AE50810
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50811(4850lm,PWM/DALI切替式,5000K)	AH92231+AE50811
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50968(2340lm,ON-OFFタイプ,3000K)	AH92231+AE50968
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50969(2375lm,ON-OFFタイプ,3500K)	AH92231+AE50969
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50970(2440lm,ON-OFFタイプ,4000K)	AH92231+AE50970
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50971(2505lm,ON-OFFタイプ,5000K)	AH92231+AE50971
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50972(2340lm,PWM/DALI切替式,3000K)	AH92231+AE50972
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50973(2375lm,PWM/DALI切替式,3500K)	AH92231+AE50973
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50974(2440lm,PWM/DALI切替式,4000K)	AH92231+AE50974
Solid Square	Koizumi_SolidSquare_DirectMount	AH92231+AE50975(2505lm,PWM/DALI切替式,5000K)	AH92231+AE50975
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50783(6165lm,ON-OFFタイプ,3000K)	AD92232+AE50783
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50784(6250lm,ON-OFFタイプ,3500K)	AD92232+AE50784
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50785(6425lm,ON-OFFタイプ,4000K)	AD92232+AE50785
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50786(6600lm,ON-OFFタイプ,5000K)	AD92232+AE50786
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50787(4530lm,ON-OFFタイプ,3000K)	AD92232+AE50787
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50788(4595lm,ON-OFFタイプ,3500K)	AD92232+AE50788
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50789(4720lm,ON-OFFタイプ,4000K)	AD92232+AE50789
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50790(4850lm,ON-OFFタイプ,5000K)	AD92232+AE50790
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50804(6165lm,PWM/DALI切替式,3000K)	AD92232+AE50804
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50805(6250lm,PWM/DALI切替式,3500K)	AD92232+AE50805
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50806(6425lm,PWM/DALI切替式,4000K)	AD92232+AE50806
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50807(6600lm,PWM/DALI切替式,5000K)	AD92232+AE50807
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50808(4530lm,PWM/DALI切替式,3000K)	AD92232+AE50808
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50809(4595lm,PWM/DALI切替式,3500K)	AD92232+AE50809
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50810(4720lm,PWM/DALI切替式,4000K)	AD92232+AE50810
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50811(4850lm,PWM/DALI切替式,5000K)	AD92232+AE50811
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50968(2340lm,ON-OFFタイプ,3000K)	AD92232+AE50968
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50969(2375lm,ON-OFFタイプ,3500K)	AD92232+AE50969
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50970(2440lm,ON-OFFタイプ,4000K)	AD92232+AE50970
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50971(2505lm,ON-OFFタイプ,5000K)	AD92232+AE50971
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50972(2340lm,PWM/DALI切替式,3000K)	AD92232+AE50972
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50973(2375lm,PWM/DALI切替式,3500K)	AD92232+AE50973
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50974(2440lm,PWM/DALI切替式,4000K)	AD92232+AE50974
Solid Square	Koizumi_SolidSquare_Half-Embedded	AD92232+AE50975(2505lm,PWM/DALI切替式,5000K)	AD92232+AE50975
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50783(5565lm,ON-OFFタイプ,3000K)	AD92428+AE50783
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50784(5640lm,ON-OFFタイプ,3500K)	AD92428+AE50784
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50785(5800lm,ON-OFFタイプ,4000K)	AD92428+AE50785
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50786(5955lm,ON-OFFタイプ,5000K)	AD92428+AE50786
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50787(4090lm,ON-OFFタイプ,3000K)	AD92428+AE50787
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50788(4145lm,ON-OFFタイプ,3500K)	AD92428+AE50788
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50789(4260lm,ON-OFFタイプ,4000K)	AD92428+AE50789
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50790(4375lm,ON-OFFタイプ,5000K)	AD92428+AE50790
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50804(5565lm,PWM/DALI切替式,3000K)	AD92428+AE50804
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50805(5640lm,PWM/DALI切替式,3500K)	AD92428+AE50805
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50806(5800lm,PWM/DALI切替式,4000K)	AD92428+AE50806
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50807(5955lm,PWM/DALI切替式,5000K)	AD92428+AE50807
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50808(4090lm,PWM/DALI切替式,3000K)	AD92428+AE50808
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50809(4145lm,PWM/DALI切替式,3500K)	AD92428+AE50809
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50810(4260lm,PWM/DALI切替式,4000K)	AD92428+AE50810
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50811(4375lm,PWM/DALI切替式,5000K)	AD92428+AE50811
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50968(2110lm,ON-OFFタイプ,3000K)	AD92428+AE50968
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50969(2145lm,ON-OFFタイプ,3500K)	AD92428+AE50969
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50970(2200lm,ON-OFFタイプ,4000K)	AD92428+AE50970
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50971(2260lm,ON-OFFタイプ,5000K)	AD92428+AE50971
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50972(2110lm,PWM/DALI切替式,3000K)	AD92428+AE50972
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50973(2145lm,PWM/DALI切替式,3500K)	AD92428+AE50973
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50974(2200lm,PWM/DALI切替式,4000K)	AD92428+AE50974
Solid Square	Koizumi_SolidSquare_Embedded	AD92428+AE50975(2260lm,PWM/DALI切替式,5000K)	AD92428+AE50975
Solid Square	Koizumi_SolidSquare_PlugType_Black	AH51768(4530lm,ON-OFFタイプ,3000K)	AH51768
Solid Square	Koizumi_SolidSquare_PlugType_Black	AH51769(4595lm,ON-OFFタイプ,3500K)	AH51769
Solid Square	Koizumi_SolidSquare_PlugType_Black	AH51770(4720lm,ON-OFFタイプ,4000K)	AH51770
Solid Square	Koizumi_SolidSquare_PlugType_Black	AH51771(4850lm,ON-OFFタイプ,5000K)	AH51771
Solid Square	Koizumi_SolidSquare_PlugType_White	AH51764(4530lm,ON-OFFタイプ,3000K)	AH51764
Solid Square	Koizumi_SolidSquare_PlugType_White	AH51765(4595lm,ON-OFFタイプ,3500K)	AH51765
Solid Square	Koizumi_SolidSquare_PlugType_White	AH51766(4720lm,ON-OFFタイプ,4000K)	AH51766
Solid Square	Koizumi_SolidSquare_PlugType_White	AH51767(4850lm,ON-OFFタイプ,5000K)	AH51767
Solid Square	Koizumi_SolidSquare_Emergency_Silver	AR50612(非調光,2700K)	AR50612
Solid Square	Koizumi_SolidSquare_Emergency_Silver	AR50614(非調光,5000K)	AR50614
Solid Square	Koizumi_SolidSquare_Emergency_White	AR50738(非調光,2700K)	AR50738
Solid Square	Koizumi_SolidSquare_Emergency_White	AR50740(非調光,5000K)	AR50740
Solid Square	Koizumi_SolidSquare_WaterProof_Silver	AU50613(非調光,2700K)	AU50613
Solid Square	Koizumi_SolidSquare_WaterProof_Silver	AU50615(非調光,5000K)	AU50615
Solid Square	Koizumi_SolidSquare_WaterProof_White	AU50739(非調光,2700K)	AU50739
Solid Square	Koizumi_SolidSquare_WaterProof_White	AU50741(非調光,5000K)	AU50741
Minimum Slot	Koizumi_MinimumSlot	XP48127L(1333mm,上面配光:PWM調光タイプ、配線ダクト:位相調光タイプ,3000K)	XP48127L
Minimum Slot	Koizumi_MinimumSlot	XP48128L(1333mm,上面配光:PWM調光タイプ、配線ダクト:位相調光タイプ,3500K)	XP48128L
Minimum Slot	Koizumi_MinimumSlot	XP48129L(1333mm,上面配光:PWM調光タイプ、配線ダクト:位相調光タイプ,4000K)	XP48129L
Minimum Slot	Koizumi_MinimumSlot	XP48130L(1333mm,上面配光:PWM調光タイプ、配線ダクト:位相調光タイプ,5000K)	XP48130L
Minimum Slot	Koizumi_MinimumSlot	XP48131L(1333mm,上下配光:PWM調光タイプ,3000K)	XP48131L
Minimum Slot	Koizumi_MinimumSlot	XP48132L(1333mm,上下配光:PWM調光タイプ,3500K)	XP48132L
Minimum Slot	Koizumi_MinimumSlot	XP48133L(1333mm,上下配光:PWM調光タイプ,4000K)	XP48133L
Minimum Slot	Koizumi_MinimumSlot	XP48134L(1333mm,上下配光:PWM調光タイプ,5000K)	XP48134L
Minimum Slot	Koizumi_MinimumSlot	XP48135L(1333mm,下面配光:PWM調光タイプ,3000K)	XP48135L
Minimum Slot	Koizumi_MinimumSlot	XP48136L(1333mm,下面配光:PWM調光タイプ,3500K)	XP48136L
Minimum Slot	Koizumi_MinimumSlot	XP48137L(1333mm,下面配光:PWM調光タイプ,4000K)	XP48137L
Minimum Slot	Koizumi_MinimumSlot	XP48138L(1333mm,下面配光:PWM調光タイプ,5000K)	XP48138L
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48139E(入力用吊具)	XE48139E
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48140E(中間用吊具)	XE48140E
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48141E(信号線用吊具)	XE48141E
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48142E(中間用 L字吊具)	XE48142E
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48143E(Dの字用 L字吊具)	XE48143E
Minimum Slot	Koizumi_MinimumSlot_Parts	XE48144E(Dの字用 L字吊具)	XE48144E

- 7 -

- 9 -

- 10 -

[illegible]

- 14 -

[illegible]

- 17 -

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WM+XE92184E(φ75,2535lm,ON-OFFタイプ,3500K,65°)	XD058514WM+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WM+XE92194E(φ75,2535lm,位相調光タイプ,3500K,65°)	XD058514WM+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WW+XE92194E(φ75,2585lm,位相調光タイプ,4000K,65°)	XD058514WW+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WA+XE92184E(φ75,2040lm,ON-OFFタイプ,2700K,45°)	XD058513WA+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WA+XE92194E(φ75,2340lm,位相調光タイプ,2700K,45°)	XD058513WA+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WL+XE92184E(φ75,2125lm,ON-OFFタイプ,3000K,45°)	XD058513WL+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WL+XE92194E(φ75,2125lm,位相調光タイプ,3000K,45°)	XD058513WL+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WW+XE92184E(φ75,2215lm,ON-OFFタイプ,4000K,45°)	XD058513WW+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058513WW+XE92194E(φ75,2215lm,位相調光タイプ,4000K,45°)	XD058513WW+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WA+XE92184E(φ75,2380lm,位相調光タイプ,2700K,65°)	XD058514WA+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WA+XE92194E(φ75,2380lm,位相調光タイプ,2700K,65°)	XD058514WA+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ75 White-White	XD058514WW+XE92184E(φ75,2585lm,ON-OFFタイプ,4000K,65°)	XD058514WW+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE44223L(φ100,3505lm,PWM調光タイプ,2700K,60°)	XD055509BA+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE91036L(φ100,4090lm,PWM調光タイプ,2700K,60°)	XD055509BA+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE91226E(φ100,3505lm,ON-OFFタイプ,2700K,60°)	XD055509BA+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE91227E(φ100,4090lm,ON-OFFタイプ,2700K,60°)	XD055509BA+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE91663E(φ100,3505lm,DALI対応タイプ,2700K,60°)	XD055509BA+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BA+XE91664E(φ100,4090lm,DALI対応タイプ,2700K,60°)	XD055509BA+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE44223L(φ100,3585lm,PWM調光タイプ,3000K,60°)	XD055509BL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE91036L(φ100,4185lm,PWM調光タイプ,3000K,60°)	XD055509BL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE91226E(φ100,3585lm,ON-OFFタイプ,3000K,60°)	XD055509BL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE91227E(φ100,4185lm,ON-OFFタイプ,3000K,60°)	XD055509BL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE91663E(φ100,3585lm,DALI対応タイプ,3000K,60°)	XD055509BL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BL+XE91664E(φ100,4185lm,DALI対応タイプ,3000K,60°)	XD055509BL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE44223L(φ100,3660lm,PWM調光タイプ,3500K,60°)	XD055509BM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE91036L(φ100,4275lm,PWM調光タイプ,3500K,60°)	XD055509BM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE91226E(φ100,3660lm,ON-OFFタイプ,3500K,60°)	XD055509BM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE91227E(φ100,4275lm,ON-OFFタイプ,3500K,60°)	XD055509BM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE91663E(φ100,3660lm,DALI対応タイプ,3500K,60°)	XD055509BM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BM+XE91664E(φ100,4275lm,DALI対応タイプ,3500K,60°)	XD055509BM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE44223L(φ100,3800lm,PWM調光タイプ,4000K,60°)	XD055509BW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE91036L(φ100,4435lm,PWM調光タイプ,4000K,60°)	XD055509BW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE91226E(φ100,3800lm,ON-OFFタイプ,4000K,60°)	XD055509BW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE91227E(φ100,4435lm,ON-OFFタイプ,4000K,60°)	XD055509BW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE91663E(φ100,3800lm,DALI対応タイプ,4000K,60°)	XD055509BW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055509BW+XE91664E(φ100,4435lm,DALI対応タイプ,4000K,60°)	XD055509BW+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE44223L(φ100,4040lm,PWM調光タイプ,2700K,75°)	XD055510BA+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE91036L(φ100,4720lm,PWM調光タイプ,2700K,75°)	XD055510BA+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE91226E(φ100,4040lm,ON-OFFタイプ,2700K,75°)	XD055510BA+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE91227E(φ100,4720lm,ON-OFFタイプ,2700K,75°)	XD055510BA+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE91663E(φ100,4040lm,DALI対応タイプ,2700K,75°)	XD055510BA+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BA+XE91664E(φ100,4720lm,DALI対応タイプ,2700K,75°)	XD055510BA+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE44223L(φ100,4135lm,PWM調光タイプ,3000K,75°)	XD055510BL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE91036L(φ100,4830lm,PWM調光タイプ,3000K,75°)	XD055510BL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE91226E(φ100,4135lm,ON-OFFタイプ,3000K,75°)	XD055510BL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE91227E(φ100,4830lm,ON-OFFタイプ,3000K,75°)	XD055510BL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE91663E(φ100,4135lm,DALI対応タイプ,3000K,75°)	XD055510BL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BL+XE91664E(φ100,4830lm,DALI対応タイプ,3000K,75°)	XD055510BL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE44223L(φ100,4225lm,PWM調光タイプ,3500K,75°)	XD055510BM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE91036L(φ100,4935lm,PWM調光タイプ,3500K,75°)	XD055510BM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE91226E(φ100,4225lm,ON-OFFタイプ,3500K,75°)	XD055510BM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE91227E(φ100,4935lm,ON-OFFタイプ,3500K,75°)	XD055510BM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE91663E(φ100,4225lm,DALI対応タイプ,3500K,75°)	XD055510BM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BM+XE91664E(φ100,4935lm,DALI対応タイプ,3500K,75°)	XD055510BM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE44223L(φ100,4385lm,PWM調光タイプ,4000K,75°)	XD055510BW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE91036L(φ100,5120lm,PWM調光タイプ,4000K,75°)	XD055510BW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE91226E(φ100,4385lm,ON-OFFタイプ,4000K,75°)	XD055510BW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE91227E(φ100,5120lm,ON-OFFタイプ,4000K,75°)	XD055510BW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE91663E(φ100,4385lm,DALI対応タイプ,4000K,75°)	XD055510BW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055510BW+XE91664E(φ100,5120lm,DALI対応タイプ,4000K,75°)	XD055510BW+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BA+XE92184E(φ100,2235lm,ON-OFFタイプ,2700K,55°)	XD055511BA+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BA+XE92185E(φ100,2635lm,ON-OFFタイプ,2700K,55°)	XD055511BA+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BA+XE92194E(φ100,2235lm,位相調光タイプ,2700K,55°)	XD055511BA+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BL+XE92184E(φ100,2290lm,ON-OFFタイプ,3000K,55°)	XD055511BL+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BL+XE92185E(φ100,2700lm,ON-OFFタイプ,3000K,55°)	XD055511BL+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BL+XE92194E(φ100,2290lm,位相調光タイプ,3000K,55°)	XD055511BL+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BM+XE92184E(φ100,2350lm,ON-OFFタイプ,3500K,55°)	XD055511BM+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BM+XE92185E(φ100,2765lm,ON-OFFタイプ,3500K,55°)	XD055511BM+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BM+XE92194E(φ100,2350lm,位相調光タイプ,3500K,55°)	XD055511BM+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BW+XE92184E(φ100,2425lm,ON-OFFタイプ,4000K,55°)	XD055511BW+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BW+XE92185E(φ100,2855lm,ON-OFFタイプ,4000K,55°)	XD055511BW+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055511BW+XE92194E(φ100,2425lm,位相調光タイプ,4000K,55°)	XD055511BW+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BA+XE92184E(φ100,2540lm,ON-OFFタイプ,2700K,70°)	XD055512BA+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BA+XE92185E(φ100,2990lm,ON-OFFタイプ,2700K,70°)	XD055512BA+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BA+XE92194E(φ100,2540lm,位相調光タイプ,2700K,70°)	XD055512BA+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BL+XE92184E(φ100,2595lm,ON-OFFタイプ,3000K,70°)	XD055512BL+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BL+XE92185E(φ100,3065lm,ON-OFFタイプ,3000K,70°)	XD055512BL+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BL+XE92194E(φ100,2595lm,位相調光タイプ,3000K,70°)	XD055512BL+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BM+XE92184E(φ100,2665lm,ON-OFFタイプ,3500K,70°)	XD055512BM+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BM+XE92185E(φ100,3135lm,ON-OFFタイプ,3500K,70°)	XD055512BM+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BM+XE92194E(φ100,2665lm,位相調光タイプ,3500K,70°)	XD055512BM+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BW+XE92184E(φ100,2750lm,ON-OFFタイプ,4000K,70°)	XD055512BW+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BW+XE92185E(φ100,3240lm,ON-OFFタイプ,4000K,70°)	XD055512BW+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 Black-Silver	XD055512BW+XE92194E(φ100,2750lm,位相調光タイプ,4000K,70°)	XD055512BW+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE44223L(φ100,3505lm,PWM調光タイプ,2700K,60°)	XD055509WA+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE91036L(φ100,4090lm,PWM調光タイプ,2700K,60°)	XD055509WA+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE91226E(φ100,3505lm,ON-OFFタイプ,2700K,60°)	XD055509WA+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE91227E(φ100,4090lm,ON-OFFタイプ,2700K,60°)	XD055509WA+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE91663E(φ100,3505lm,DALI対応タイプ,2700K,60°)	XD055509WA+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WA+XE91664E(φ100,4090lm,DALI対応タイプ,2700K,60°)	XD055509WA+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE44223L(φ100,3585lm,PWM調光タイプ,3000K,60°)	XD055509WL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE91036L(φ100,4185lm,PWM調光タイプ,3000K,60°)	XD055509WL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE91226E(φ100,3585lm,ON-OFFタイプ,3000K,60°)	XD055509WL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE91227E(φ100,4185lm,ON-OFFタイプ,3000K,60°)	XD055509WL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE91663E(φ100,3585lm,DALI対応タイプ,3000K,60°)	XD055509WL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WL+XE91664E(φ100,4185lm,DALI対応タイプ,3000K,60°)	XD055509WL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE44223L(φ100,3660lm,PWM調光タイプ,3500K,60°)	XD055509WM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE91036L(φ100,4275lm,PWM調光タイプ,3500K,60°)	XD055509WM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE91226E(φ100,3660lm,ON-OFFタイプ,3500K,60°)	XD055509WM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE91227E(φ100,4275lm,ON-OFFタイプ,3500K,60°)	XD055509WM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE91663E(φ100,3660lm,DALI対応タイプ,3500K,60°)	XD055509WM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WM+XE91664E(φ100,4275lm,DALI対応タイプ,3500K,60°)	XD055509WM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE44223L(φ100,3800lm,PWM調光タイプ,4000K,60°)	XD055509WW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE91036L(φ100,4435lm,PWM調光タイプ,4000K,60°)	XD055509WW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE91226E(φ100,3800lm,ON-OFFタイプ,4000K,60°)	XD055509WW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE91227E(φ100,4435lm,ON-OFFタイプ,4000K,60°)	XD055509WW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE91663E(φ100,3800lm,DALI対応タイプ,4000K,60°)	XD055509WW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-Silver	XD055509WW+XE91664E(φ100,4435lm,DALI対応タイプ,4000K,60°)	XD055509WW+XE91664E

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WA+XE92184E(φ100,2435lm,ON-OFFタイフ,2700K,70°)	XD056512WA+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WA+XE92185E(φ100,2870lm,ON-OFFタイフ,2700K,70°)	XD056512WA+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WA+XE92194E(φ100,2435lm,位相調光タイフ,2700K,70°)	XD056512WA+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WL+XE92184E(φ100,2495lm,ON-OFFタイフ,3000K,70°)	XD056512WL+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WL+XE92185E(φ100,2940lm,ON-OFFタイフ,3000K,70°)	XD056512WL+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WL+XE92194E(φ100,2495lm,位相調光タイフ,3000K,70°)	XD056512WL+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WM+XE92184E(φ100,2560lm,ON-OFFタイフ,3500K,70°)	XD056512WM+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WM+XE92185E(φ100,3015lm,ON-OFFタイフ,3500K,70°)	XD056512WM+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WM+XE92194E(φ100,2560lm,位相調光タイフ,3500K,70°)	XD056512WM+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WW+XE92184E(φ100,2645lm,ON-OFFタイフ,4000K,70°)	XD056512WW+XE92184E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WW+XE92185E(φ100,3115lm,ON-OFFタイフ,4000K,70°)	XD056512WW+XE92185E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ100 White-White	XD056512WW+XE92194E(φ100,2645lm,位相調光タイフ,4000K,70°)	XD056512WW+XE92194E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE44223L(φ125,5415lm,PWM調光タイフ,3000K,55°)	XD053505BL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE91036L(φ125,6355lm,PWM調光タイフ,3000K,55°)	XD053505BL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE91226E(φ125,5415lm,ON-OFFタイフ,3000K,55°)	XD053505BL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE91227E(φ125,6355lm,ON-OFFタイフ,3000K,55°)	XD053505BL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE91663E(φ125,5415lm,DALI対応タイフ,3000K,55°)	XD053505BL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BL+XE91664E(φ125,6355lm,DALI対応タイフ,3000K,55°)	XD053505BL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE44223L(φ125,5525lm,PWM調光タイフ,3500K,55°)	XD053505BM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE91036L(φ125,6485lm,PWM調光タイフ,3500K,55°)	XD053505BM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE91226E(φ125,5525lm,ON-OFFタイフ,3500K,55°)	XD053505BM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE91227E(φ125,6485lm,ON-OFFタイフ,3500K,55°)	XD053505BM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE91663E(φ125,5525lm,DALI対応タイフ,3500K,55°)	XD053505BM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BM+XE91664E(φ125,6485lm,DALI対応タイフ,3500K,55°)	XD053505BM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE44223L(φ125,5730lm,PWM調光タイフ,5000K,55°)	XD053505BN+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE91036L(φ125,6725lm,PWM調光タイフ,5000K,55°)	XD053505BN+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE91226E(φ125,5730lm,ON-OFFタイフ,5000K,55°)	XD053505BN+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE91227E(φ125,6725lm,ON-OFFタイフ,5000K,55°)	XD053505BN+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE91663E(φ125,5730lm,DALI対応タイフ,5000K,55°)	XD053505BN+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BN+XE91664E(φ125,6725lm,DALI対応タイフ,5000K,55°)	XD053505BN+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE44223L(φ125,5730lm,PWM調光タイフ,4000K,55°)	XD053505BW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE91036L(φ125,6725lm,PWM調光タイフ,4000K,55°)	XD053505BW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE91226E(φ125,5730lm,ON-OFFタイフ,4000K,55°)	XD053505BW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE91227E(φ125,6725lm,ON-OFFタイフ,4000K,55°)	XD053505BW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE91663E(φ125,5730lm,DALI対応タイフ,4000K,55°)	XD053505BW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053505BW+XE91664E(φ125,6725lm,DALI対応タイフ,4000K,55°)	XD053505BW+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053506BL+XE44223L(φ125,6445lm,PWM調光タイフ,3000K,75°)	XD053506BL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053506BL+XE91036L(φ125,7570lm,PWM調光タイフ,3000K,75°)	XD053506BL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053506BL+XE91226E(φ125,6445lm,ON-OFFタイフ,3000K,75°)	XD053506BL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL Deepφ125 Black-Silver	XD053506BL+XE91227E(φ125,7570lm,ON-OFFタイフ,3000K,75°)	XD053506

[illegible]

[illegible]

シリーズ名	ファミリ名		タイプ名	モデル
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WM+XE91226E(φ150,6915lm,ON-OFFタイプ,3500K,70°)	XD052502WM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91227E(φ150,8070lm,ON-OFFタイプ,3500K,70°)	XD052502WN+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WM+XE91228E(φ150,9735lm,ON-OFFタイプ,3500K,70°)	XD052502WM+XE91228E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WM+XE91663E(φ150,6915lm,DALI対応タイプ,3500K,70°)	XD052502WM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WM+XE91664E(φ150,8070lm,DALI対応タイプ,3500K,70°)	XD052502WM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WM+XE91665E(φ150,9735lm,DALI対応タイプ,3500K,70°)	XD052502WM+XE91665E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE44223L(φ150,7175lm,PWM調光タイプ,5000K,70°)	XD052502WN+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE44224L(φ150,10115lm,PWM調光タイプ,5000K,70°)	XD052502WN+XE44224L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91036L(φ150,8380lm,PWM調光タイプ,5000K,70°)	XD052502WN+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91226E(φ150,7175lm,ON-OFFタイプ,5000K,70°)	XD052502WN+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91227E(φ150,8380lm,ON-OFFタイプ,5000K,70°)	XD052502WN+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91228E(φ150,10115lm,ON-OFFタイプ,5000K,70°)	XD052502WN+XE91228E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91663E(φ150,7175lm,DALI対応タイプ,5000K,70°)	XD052502WN+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91664E(φ150,8380lm,DALI対応タイプ,5000K,70°)	XD052502WN+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WN+XE91665E(φ150,10115lm,DALI対応タイプ,5000K,70°)	XD052502WN+XE91665E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE44223L(φ150,7175lm,PWM調光タイプ,4000K,70°)	XD052502WW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE44224L(φ150,10115lm,PWM調光タイプ,4000K,70°)	XD052502WW+XE44224L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91036L(φ150,8380lm,PWM調光タイプ,4000K,70°)	XD052502WW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91226E(φ150,7175lm,ON-OFFタイプ,4000K,70°)	XD052502WW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91227E(φ150,8380lm,ON-OFFタイプ,4000K,70°)	XD052502WW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91228E(φ150,10115lm,ON-OFFタイプ,4000K,70°)	XD052502WW+XE91228E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91663E(φ150,7175lm,DALI対応タイプ,4000K,70°)	XD052502WW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91664E(φ150,8380lm,DALI対応タイプ,4000K,70°)	XD052502WW+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052502WW+XE91665E(φ150,10115lm,DALI対応タイプ,4000K,70°)	XD052502WW+XE91665E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WA+XE91036L(φ150,4605lm,PWM調光タイプ,2700K,40°)	XD052503WA+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WA+XE91226E(φ150,3945lm,ON-OFFタイプ,2700K,40°)	XD052503WA+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WA+XE91227E(φ150,4605lm,ON-OFFタイプ,2700K,40°)	XD052503WA+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WA+XE91663E(φ150,3945lm,DALI対応タイプ,2700K,40°)	XD052503WA+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE44223L(φ150,4035lm,PWM調光タイプ,3000K,40°)	XD052503WL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE91036L(φ150,4715lm,PWM調光タイプ,3000K,40°)	XD052503WL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE91226E(φ150,4035lm,ON-OFFタイプ,3000K,40°)	XD052503WL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE91227E(φ150,4715lm,ON-OFFタイプ,3000K,40°)	XD052503WL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE91663E(φ150,4605lm,DALI対応タイプ,3000K,40°)	XD052503WL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WL+XE91664E(φ150,4715lm,DALI対応タイプ,3000K,40°)	XD052503WL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE44223L(φ150,4120lm,PWM調光タイプ,3500K,40°)	XD052503WM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE91036L(φ150,4810lm,PWM調光タイプ,3500K,40°)	XD052503WM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE91226E(φ150,4120lm,ON-OFFタイプ,3500K,40°)	XD052503WM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE91227E(φ150,4810lm,ON-OFFタイプ,3500K,40°)	XD052503WM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE91663E(φ150,4120lm,DALI対応タイプ,3500K,40°)	XD052503WM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WM+XE91664E(φ150,4810lm,DALI対応タイプ,3500K,40°)	XD052503WM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE44223L(φ150,4260lm,PWM調光タイプ,5000K,40°)	XD052503WN+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE91036L(φ150,4980lm,PWM調光タイプ,5000K,40°)	XD052503WN+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE91226E(φ150,4260lm,ON-OFFタイプ,5000K,40°)	XD052503WN+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE91227E(φ150,4980lm,ON-OFFタイプ,5000K,40°)	XD052503WN+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE91663E(φ150,4260lm,DALI対応タイプ,5000K,40°)	XD052503WN+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WN+XE91664E(φ150,4980lm,DALI対応タイプ,5000K,40°)	XD052503WN+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE44223L(φ150,4275lm,PWM調光タイプ,4000K,40°)	XD052503WW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE91036L(φ150,4955lm,PWM調光タイプ,4000K,40°)	XD052503WW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE91226E(φ150,4275lm,ON-OFFタイプ,4000K,40°)	XD052503WW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE91227E(φ150,4955lm,ON-OFFタイプ,4000K,40°)	XD052503WW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE91663E(φ150,4275lm,DALI対応タイプ,4000K,40°)	XD052503WW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052503WW+XE91664E(φ150,4955lm,DALI対応タイプ,4000K,40°)	XD052503WW+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE44223L(φ150,4485lm,PWM調光タイプ,2700K,70°)	XD052504WA+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE91036L(φ150,5235lm,PWM調光タイプ,2700K,70°)	XD052504WA+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE91226E(φ150,4485lm,ON-OFFタイプ,2700K,70°)	XD052504WA+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE91227E(φ150,5235lm,ON-OFFタイプ,2700K,70°)	XD052504WA+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE91663E(φ150,4485lm,DALI対応タイプ,2700K,70°)	XD052504WA+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WA+XE91664E(φ150,5235lm,DALI対応タイプ,2700K,70°)	XD052504WA+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE44223L(φ150,4590lm,PWM調光タイプ,3000K,70°)	XD052504WL+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE91036L(φ150,5360lm,PWM調光タイプ,3000K,70°)	XD052504WL+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE91226E(φ150,4590lm,ON-OFFタイプ,3000K,70°)	XD052504WL+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE91227E(φ150,5360lm,ON-OFFタイプ,3000K,70°)	XD052504WL+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE91663E(φ150,4590lm,DALI対応タイプ,3000K,70°)	XD052504WL+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WL+XE91664E(φ150,5360lm,DALI対応タイプ,3000K,70°)	XD052504WL+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE44223L(φ150,4685lm,PWM調光タイプ,3500K,70°)	XD052504WM+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE91036L(φ150,5470lm,PWM調光タイプ,3500K,70°)	XD052504WM+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE91226E(φ150,4685lm,ON-OFFタイプ,3500K,70°)	XD052504WM+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE91227E(φ150,5470lm,ON-OFFタイプ,3500K,70°)	XD052504WM+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE91663E(φ150,4685lm,DALI対応タイプ,3500K,70°)	XD052504WM+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WM+XE91664E(φ150,5470lm,DALI対応タイプ,3500K,70°)	XD052504WM+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE44223L(φ150,4845lm,PWM調光タイプ,5000K,70°)	XD052504WN+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE91036L(φ150,5665lm,PWM調光タイプ,5000K,70°)	XD052504WN+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE91226E(φ150,4845lm,ON-OFFタイプ,5000K,70°)	XD052504WN+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE91227E(φ150,5665lm,ON-OFFタイプ,5000K,70°)	XD052504WN+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE91663E(φ150,4845lm,DALI対応タイプ,5000K,70°)	XD052504WN+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WN+XE91664E(φ150,5665lm,DALI対応タイプ,5000K,70°)	XD052504WN+XE91664E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE44223L(φ150,4860lm,PWM調光タイプ,4000K,70°)	XD052504WW+XE44223L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE91036L(φ150,5680lm,PWM調光タイプ,4000K,70°)	XD052504WW+XE91036L
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE91226E(φ150,4860lm,ON-OFFタイプ,4000K,70°)	XD052504WW+XE91226E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE91227E(φ150,5680lm,ON-OFFタイプ,4000K,70°)	XD052504WW+XE91227E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE91663E(φ150,4860lm,DALI対応タイプ,4000K,70°)	XD052504WW+XE91663E
X-Pro Base DeepType	Koizumi X-ProBaseDL	Deepφ150 White-White	XD052504WW+XE91664E(φ150,5680lm,DALI対応タイプ,4000K,70°)	XD052504WW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE44223L(φ100,3555lm,PWM調光タイプ,2700K,60°)	XD155509WA+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE91036L(φ100,4155lm,PWM調光タイプ,2700K,60°)	XD155509WA+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE91226E(φ100,3555lm,ON-OFFタイプ,2700K,60°)	XD155509WA+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE91227E(φ100,4155lm,ON-OFFタイプ,2700K,60°)	XD155509WA+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE91663E(φ100,3555lm,DALI対応タイプ,2700K,60°)	XD155509WA+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WA+XE91664E(φ100,4155lm,DALI対応タイプ,2700K,60°)	XD155509WA+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE44223L(φ100,3640lm,PWM調光タイプ,3000K,60°)	XD155509WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE91036L(φ100,4250lm,PWM調光タイプ,3000K,60°)	XD155509WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE91226E(φ100,3640lm,ON-OFFタイプ,3000K,60°)	XD155509WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE91227E(φ100,4250lm,ON-OFFタイプ,3000K,60°)	XD155509WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE91663E(φ100,3640lm,DALI対応タイプ,3000K,60°)	XD155509WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WL+XE91664E(φ100,4250lm,DALI対応タイプ,3000K,60°)	XD155509WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE44223L(φ100,3715lm,PWM調光タイプ,3500K,60°)	XD155509WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE91036L(φ100,4340lm,PWM調光タイプ,3500K,60°)	XD155509WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE91226E(φ100,3715lm,ON-OFFタイプ,3500K,60°)	XD155509WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE91227E(φ100,4340lm,ON-OFFタイプ,3500K,60°)	XD155509WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE91663E(φ100,3715lm,DALI対応タイプ,3500K,60°)	XD155509WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WM+XE91664E(φ100,4340lm,DALI対応タイプ,3500K,60°)	XD155509WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE44223L(φ100,4300lm,PWM調光タイプ,4000K,60°)	XD155509WW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE91036L(φ100,4505lm,PWM調光タイプ,4000K,60°)	XD155509WW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE91226E(φ100,4300lm,ON-OFFタイプ,4000K,60°)	XD155509WW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE91227E(φ100,4505lm,ON-OFFタイプ,4000K,60°)	XD155509WW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE91663E(φ100,3860lm,DALI対応タイプ,4000K,60°)	XD155509WW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ100 White-Silver	XD155509WW+XE91664E(φ100,4505lm,DALI対応タイプ,4000K,60°)	XD155509WW+XE91664E

- 31 -

シリーズ名	ファミリ名		タイプ名	モデル
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WN+XE44223L(φ125,4935lm,PWM調光タイプ,5000K,80°)	XD153508WN+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WW+XE91036L(φ125,5775lm,PWM調光タイプ,5000K,80°)	XD153508WW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WN+XE91226E(φ125,4935lm,ON-OFFタイプ,5000K,80°)	XD153508WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WN+XE91227E(φ125,5775lm,ON-OFFタイプ,5000K,80°)	XD153508WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WN+XE91663E(φ125,4935lm,DALI対応タイプ,5000K,80°)	XD153508WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WN+XE91664E(φ125,5775lm,DALI対応タイプ,5000K,80°)	XD153508WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WW+XE44223L(φ125,4935lm,PWM調光タイプ,4000K,80°)	XD153508WW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WWW+XE91036L(φ125,5785lm,PWM調光タイプ,4000K,80°)	XD153508WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WWW+XE91226E(φ125,4935lm,ON-OFFタイプ,4000K,80°)	XD153508WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WW+XE91227E(φ125,5785lm,ON-OFFタイプ,4000K,80°)	XD153508WW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WWW+XE91663E(φ125,4935lm,DALI対応タイプ,4000K,80°)	XD153508WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-Silver	XD153508WW+XE91664E(φ125,5785lm,DALI対応タイプ,4000K,80°)	XD153508WW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE44223L(φ125,5760lm,PWM調光タイプ,3000K,55°)	XD154505WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE91036L(φ125,6760lm,PWM調光タイプ,3000K,55°)	XD154505WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE91226E(φ125,5760lm,ON-OFFタイプ,3000K,55°)	XD154505WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE91227E(φ125,6760lm,ON-OFFタイプ,3000K,55°)	XD154505WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE91663E(φ125,5760lm,DALI対応タイプ,3000K,55°)	XD154505WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WL+XE91664E(φ125,6760lm,DALI対応タイプ,3000K,55°)	XD154505WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE44223L(φ125,5875lm,PWM調光タイプ,3500K,55°)	XD154505WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE91036L(φ125,6895lm,PWM調光タイプ,3500K,55°)	XD154505WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE91226E(φ125,5875lm,ON-OFFタイプ,3500K,55°)	XD154505WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE91227E(φ125,6895lm,ON-OFFタイプ,3500K,55°)	XD154505WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE91663E(φ125,5875lm,DALI対応タイプ,3500K,55°)	XD154505WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WM+XE91664E(φ125,6895lm,DALI対応タイプ,3500K,55°)	XD154505WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE44223L(φ125,6095lm,PWM調光タイプ,5000K,55°)	XD154505WN+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE91036L(φ125,7155lm,PWM調光タイプ,5000K,55°)	XD154505WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE91226E(φ125,6095lm,ON-OFFタイプ,5000K,55°)	XD154505WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE91227E(φ125,7155lm,ON-OFFタイプ,5000K,55°)	XD154505WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE91663E(φ125,6095lm,DALI対応タイプ,5000K,55°)	XD154505WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WN+XE91664E(φ125,7155lm,DALI対応タイプ,5000K,55°)	XD154505WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE44223L(φ125,6095lm,PWM調光タイプ,4000K,55°)	XD154505WWW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE91036L(φ125,7155lm,PWM調光タイプ,4000K,55°)	XD154505WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE91226E(φ125,6095lm,ON-OFFタイプ,4000K,55°)	XD154505WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE91227E(φ125,7155lm,ON-OFFタイプ,4000K,55°)	XD154505WWW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE91663E(φ125,6095lm,DALI対応タイプ,4000K,55°)	XD154505WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154505WWW+XE91664E(φ125,7155lm,DALI対応タイプ,4000K,55°)	XD154505WWW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE44223L(φ125,6790lm,PWM調光タイプ,3000K,85°)	XD154506WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE91036L(φ125,7970lm,PWM調光タイプ,3000K,85°)	XD154506WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE91226E(φ125,6790lm,ON-OFFタイプ,3000K,85°)	XD154506WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE91227E(φ125,7970lm,ON-OFFタイプ,3000K,85°)	XD154506WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE91663E(φ125,6790lm,DALI対応タイプ,3000K,85°)	XD154506WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WL+XE91664E(φ125,7970lm,DALI対応タイプ,3000K,85°)	XD154506WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE44223L(φ125,6925lm,PWM調光タイプ,3500K,85°)	XD154506WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE91036L(φ125,8130lm,PWM調光タイプ,3500K,85°)	XD154506WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE91226E(φ125,6925lm,ON-OFFタイプ,3500K,85°)	XD154506WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE91227E(φ125,8130lm,ON-OFFタイプ,3500K,85°)	XD154506WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE91663E(φ125,6925lm,DALI対応タイプ,3500K,85°)	XD154506WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WM+XE91664E(φ125,8130lm,DALI対応タイプ,3500K,85°)	XD154506WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91036L(φ125,8130lm,PWM調光タイプ,3500K,85°)	XD154506WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91226E(φ125,6925lm,ON-OFFタイプ,3500K,85°)	XD154506WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91227E(φ125,8130lm,ON-OFFタイプ,3500K,85°)	XD154506WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91663E(φ125,8130lm,DALI対応タイプ,3500K,85°)	XD154506WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91664E(φ125,91226E(φ125,8135lm,PWM調光タイプ,5000K,85°)	XD154506WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91036L(φ125,8435lm,PWM調光タイプ,5000K,85°)	XD154506WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91226E(φ125,7185lm,ON-OFFタイプ,5000K,85°)	XD154506WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91227E(φ125,8435lm,ON-OFFタイプ,5000K,85°)	XD154506WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91663E(φ125,7185lm,DALI対応タイプ,5000K,85°)	XD154506WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WN+XE91664E(φ125,8435lm,DALI対応タイプ,5000K,85°)	XD154506WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE44223L(φ125,7185lm,PWM調光タイプ,4000K,85°)	XD154506WWW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE91036L(φ125,8435lm,PWM調光タイプ,4000K,85°)	XD154506WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE91226E(φ125,8435lm,ON-OFFタイプ,4000K,85°)	XD154506WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE91227E(φ125,8435lm,ON-OFFタイプ,4000K,85°)	XD154506WWW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE91663E(φ125,8435lm,DALI対応タイプ,4000K,85°)	XD154506WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154506WWW+XE91664E(φ125,8435lm,DALI対応タイプ,4000K,85°)	XD154506WWW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE44223L(φ125,4080lm,PWM調光タイプ,2700K,55°)	XD154507WA+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE91036L(φ125,4770lm,PWM調光タイプ,2700K,55°)	XD154507WA+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE91226E(φ125,4260lm,ON-OFFタイプ,2700K,55°)	XD154507WA+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE91227E(φ125,4770lm,ON-OFFタイプ,2700K,55°)	XD154507WA+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE91663E(φ125,4080lm,DALI対応タイプ,2700K,55°)	XD154507WA+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WA+XE91664E(φ125,4770lm,DALI対応タイプ,2700K,55°)	XD154507WA+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE44223L(φ125,4180lm,PWM調光タイプ,3000K,55°)	XD154507WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE91036L(φ125,4880lm,PWM調光タイプ,3000K,55°)	XD154507WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE91226E(φ125,4180lm,ON-OFFタイプ,3000K,55°)	XD154507WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE91227E(φ125,4880lm,ON-OFFタイプ,3000K,55°)	XD154507WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE91663E(φ125,4180lm,DALI対応タイプ,3000K,55°)	XD154507WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WL+XE91664E(φ125,4880lm,DALI対応タイプ,3000K,55°)	XD154507WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE44223L(φ125,4260lm,PWM調光タイプ,3500K,55°)	XD154507WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE91036L(φ125,4975lm,PWM調光タイプ,3500K,55°)	XD154507WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE91226E(φ125,4260lm,ON-OFFタイプ,3500K,55°)	XD154507WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE91227E(φ125,4975lm,ON-OFFタイプ,3500K,55°)	XD154507WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE91663E(φ125,4260lm,DALI対応タイプ,3500K,55°)	XD154507WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WM+XE91664E(φ125,4975lm,DALI対応タイプ,3500K,55°)	XD154507WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE44223L(φ125,4410lm,PWM調光タイプ,5000K,55°)	XD154507WN+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE91036L(φ125,5155lm,PWM調光タイプ,5000K,55°)	XD154507WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE91226E(φ125,4410lm,ON-OFFタイプ,5000K,55°)	XD154507WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE91227E(φ125,5155lm,ON-OFFタイプ,5000K,55°)	XD154507WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE91663E(φ125,4410lm,DALI対応タイプ,5000K,55°)	XD154507WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154507WN+XE91664E(φ125,5340lm,DALI対応タイプ,2700K,85°)	XD154507WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE44223L(φ125,4680lm,PWM調光タイプ,3000K,85°)	XD154508WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE91036L(φ125,5465lm,PWM調光タイプ,3000K,85°)	XD154508WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE91226E(φ125,4680lm,ON-OFFタイプ,3000K,85°)	XD154508WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE91227E(φ125,5465lm,ON-OFFタイプ,3000K,85°)	XD154508WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE91663E(φ125,4680lm,DALI対応タイプ,3000K,85°)	XD154508WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WL+XE91664E(φ125,5465lm,DALI対応タイプ,3000K,85°)	XD154508WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE44223L(φ125,4700lm,PWM調光タイプ,3500K,85°)	XD154508WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE91036L(φ125,5575lm,PWM調光タイプ,3500K,85°)	XD154508WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE91226E(φ125,4700lm,ON-OFFタイプ,3500K,85°)	XD154508WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE91227E(φ125,5575lm,ON-OFFタイプ,3500K,85°)	XD154508WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE91663E(φ125,4700lm,DALI対応タイプ,3500K,85°)	XD154508WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ125 White-White	XD154508WM+XE91664E(φ125,5575lm,DALI対応タイプ,3500K,85°)	XD154508WM+XE91664E

- 35 -

[illegible]

シリーズ名	ファミリ名		タイプ名	モデル
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WM+XE91226E(φ175,7700lm,ON-OFFタイプ,3500K,85°)	XD160502WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91227E(φ175,8985lm,ON-OFFタイプ,3500K,85°)	XD160502WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WM+XE91228E(φ175,10845lm,ON-OFFタイプ,3500K,85°)	XD160502WM+XE91228E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91663E(φ175,7700lm,DALI対応タイプ,3500K,85°)	XD160502WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91664E(φ175,8985lm,DALI対応タイプ,3500K,85°)	XD160502WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WM+XE91665E(φ175,10845lm,DALI対応タイプ,3500K,85°)	XD160502WM+XE91665E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE44223L(φ175,7990lm,PWM調光タイプ,5000K,85°)	XD160502WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE44224L(φ175,11270lm,PWM調光タイプ,5000K,85°)	XD160502WN+XE44224L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91036L(φ175,9335lm,PWM調光タイプ,5000K,85°)	XD160502WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91226E(φ175,7990lm,ON-OFFタイプ,5000K,85°)	XD160502WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91227E(φ175,9335lm,ON-OFFタイプ,5000K,85°)	XD160502WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91228E(φ175,11270lm,ON-OFFタイプ,5000K,85°)	XD160502WM+XE91228E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91663E(φ175,7990lm,DALI対応タイプ,5000K,85°)	XD160502WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91664E(φ175,9335lm,DALI対応タイプ,5000K,85°)	XD160502WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WN+XE91665E(φ175,11270lm,DALI対応タイプ,5000K,85°)	XD160502WN+XE91665E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE44223L(φ175,7990lm,PWM調光タイプ,4000K,85°)	XD160502WWW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE44224L(φ175,11270lm,PWM調光タイプ,4000K,85°)	XD160502WWW+XE44224L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91036L(φ175,9335lm,PWM調光タイプ,4000K,85°)	XD160502WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91226E(φ175,7990lm,ON-OFFタイプ,4000K,85°)	XD160502WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91227E(φ175,9335lm,ON-OFFタイプ,4000K,85°)	XD160502WWW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91228E(φ175,11270lm,ON-OFFタイプ,4000K,85°)	XD160502WWW+XE91228E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91663E(φ175,7990lm,DALI対応タイプ,4000K,85°)	XD160502WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91664E(φ175,9335lm,DALI対応タイプ,4000K,85°)	XD160502WWW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160502WW+XE91665E(φ175,11270lm,DALI対応タイプ,4000K,85°)	XD160502WWW+XE91665E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WA+XE91036L(φ175,5045lm,PWM調光タイプ,2700K,40°)	XD160503WA+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WA+XE91226E(φ175,5415lm,ON-OFFタイプ,2700K,40°)	XD160503WA+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WA+XE91227E(φ175,5045lm,ON-OFFタイプ,2700K,40°)	XD160503WA+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WA+XE91663E(φ175,4320lm,DALI対応タイプ,2700K,40°)	XD160503WA+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WA+XE91664E(φ175,5045lm,DALI対応タイプ,2700K,40°)	XD160503WA+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE44223L(φ175,4425lm,PWM調光タイプ,3000K,40°)	XD160503WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE91036L(φ175,5165lm,PWM調光タイプ,3000K,40°)	XD160503WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE91226E(φ175,4425lm,ON-OFFタイプ,3000K,40°)	XD160503WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE91227E(φ175,5165lm,ON-OFFタイプ,3000K,40°)	XD160503WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE91663E(φ175,4425lm,DALI対応タイプ,3000K,40°)	XD160503WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WL+XE91664E(φ175,5165lm,DALI対応タイプ,3000K,40°)	XD160503WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE44223L(φ175,4515lm,PWM調光タイプ,3500K,40°)	XD160503WWM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE91036L(φ175,5275lm,PWM調光タイプ,3500K,40°)	XD160503WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE91226E(φ175,4515lm,ON-OFFタイプ,3500K,40°)	XD160503WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE91227E(φ175,5275lm,ON-OFFタイプ,3500K,40°)	XD160503WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE91663E(φ175,4515lm,DALI対応タイプ,3500K,40°)	XD160503WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WM+XE91664E(φ175,5275lm,DALI対応タイプ,3500K,40°)	XD160503WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE44223L(φ175,4670lm,PWM調光タイプ,5000K,40°)	XD160503WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE91036L(φ175,5460lm,PWM調光タイプ,5000K,40°)	XD160503WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE91226E(φ175,5460lm,ON-OFFタイプ,5000K,40°)	XD160503WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE91227E(φ175,5460lm,ON-OFFタイプ,5000K,40°)	XD160503WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE91663E(φ175,4670lm,DALI対応タイプ,5000K,40°)	XD160503WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WN+XE91664E(φ175,5460lm,DALI対応タイプ,5000K,40°)	XD160503WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE44223L(φ175,4685lm,PWM調光タイプ,4000K,40°)	XD160503WWW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE91036L(φ175,5475lm,PWM調光タイプ,4000K,40°)	XD160503WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE91226E(φ175,4685lm,ON-OFFタイプ,4000K,40°)	XD160503WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE91227E(φ175,5475lm,ON-OFFタイプ,4000K,40°)	XD160503WWW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE91663E(φ175,4685lm,DALI対応タイプ,4000K,40°)	XD160503WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160503WW+XE91664E(φ175,5475lm,DALI対応タイプ,4000K,40°)	XD160503WWW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE44223L(φ175,4915lm,PWM調光タイプ,2700K,85°)	XD160504WWM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE91036L(φ175,5740lm,PWM調光タイプ,2700K,85°)	XD160504WWM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE91226E(φ175,4915lm,ON-OFFタイプ,2700K,85°)	XD160504WWM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE91227E(φ175,5740lm,ON-OFFタイプ,2700K,85°)	XD160504WWM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE91663E(φ175,4915lm,DALI対応タイプ,2700K,85°)	XD160504WWM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WA+XE91664E(φ175,5740lm,DALI対応タイプ,2700K,85°)	XD160504WWM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE44223L(φ175,5030lm,PWM調光タイプ,3000K,85°)	XD160504WLM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE91036L(φ175,5875lm,PWM調光タイプ,3000K,85°)	XD160504WLM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE91226E(φ175,5030lm,ON-OFFタイプ,3000K,85°)	XD160504WLM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE91227E(φ175,5875lm,ON-OFFタイプ,3000K,85°)	XD160504WLM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE91663E(φ175,5030lm,DALI対応タイプ,3000K,85°)	XD160504WLM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WL+XE91664E(φ175,5875lm,DALI対応タイプ,3000K,85°)	XD160504WLM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE44223L(φ175,5135lm,PWM調光タイプ,3500K,85°)	XD160504WWM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE91036L(φ175,6000lm,PWM調光タイプ,3500K,85°)	XD160504WWM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE91226E(φ175,5135lm,ON-OFFタイプ,3500K,85°)	XD160504WWM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE91227E(φ175,6000lm,ON-OFFタイプ,3500K,85°)	XD160504WWM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE91663E(φ175,5135lm,DALI対応タイプ,3500K,85°)	XD160504WWM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WM+XE91664E(φ175,6000lm,DALI対応タイプ,3500K,85°)	XD160504WWM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE44223L(φ175,5310lm,PWM調光タイプ,5000K,85°)	XD160504WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE91036L(φ175,6210lm,ON-OFFタイプ,5000K,85°)	XD160504WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE91226E(φ175,5310lm,ON-OFFタイプ,5000K,85°)	XD160504WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE91227E(φ175,6210lm,ON-OFFタイプ,5000K,85°)	XD160504WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE91663E(φ175,5310lm,DALI対応タイプ,5000K,85°)	XD160504WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WN+XE91664E(φ175,6210lm,DALI対応タイプ,5000K,85°)	XD160504WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE44223L(φ175,5330lm,PWM調光タイプ,4000K,85°)	XD160504WWW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE91036L(φ175,6225lm,PWM調光タイプ,4000K,85°)	XD160504WWW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE91226E(φ175,5330lm,ON-OFFタイプ,4000K,85°)	XD160504WWW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE91227E(φ175,6225lm,ON-OFFタイプ,4000K,85°)	XD160504WWW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE91663E(φ175,5330lm,DALI対応タイプ,4000K,85°)	XD160504WWW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ175 White-Silver	XD160504WW+XE91664E(φ175,6225lm,DALI対応タイプ,4000K,85°)	XD160504WWW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE44223L(φ200,6605lm,PWM調光タイプ,3000K,45°)	XD159501WLM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE44224L(φ200,9305lm,PWM調光タイプ,3000K,45°)	XD159501WLM+XE44224L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91036L(φ200,7710lm,PWM調光タイプ,3000K,45°)	XD159501WLM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91226E(φ200,6605lm,ON-OFFタイプ,3000K,45°)	XD159501WLM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91227E(φ200,7710lm,ON-OFFタイプ,3000K,45°)	XD159501WLM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91228E(φ200,9305lm,ON-OFFタイプ,3000K,45°)	XD159501WLM+XE91228E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91663E(φ200,6605lm,DALI対応タイプ,3000K,45°)	XD159501WLM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91664E(φ200,7710lm,DALI対応タイプ,3000K,45°)	XD159501WLM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WL+XE91665E(φ200,9305lm,DALI対応タイプ,3000K,45°)	XD159501WLM+XE91665E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE44223L(φ200,6740lm,PWM調光タイプ,3500K,45°)	XD159501WWM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE44224L(φ200,9490lm,PWM調光タイプ,3500K,45°)	XD159501WWM+XE44224L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91036L(φ200,7865lm,PWM調光タイプ,3500K,45°)	XD159501WWM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91226E(φ200,6740lm,ON-OFFタイプ,3500K,45°)	XD159501WWM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91227E(φ200,7865lm,ON-OFFタイプ,3500K,45°)	XD159501WWM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91228E(φ200,9490lm,ON-OFFタイプ,3500K,45°)	XD159501WWM+XE91228E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91663E(φ200,6740lm,DALI対応タイプ,3500K,45°)	XD159501WWM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91664E(φ200,7865lm,DALI対応タイプ,3500K,45°)	XD159501WWM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WM+XE91665E(φ200,9490lm,DALI対応タイプ,3500K,45°)	XD159501WWM+XE91665E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE44223L(φ200,6990lm,PWM調光タイプ,5000K,45°)	XD159501WWM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE44224L(φ200,9860lm,PWM調光タイプ,5000K,45°)	XD159501WWM+XE44224L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE91036L(φ200,8165lm,PWM調光タイプ,5000K,45°)	XD159501WWM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE91226E(φ200,6990lm,ON-OFFタイプ,5000K,45°)	XD159501WWM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE91227E(φ200,8165lm,ON-OFFタイプ,5000K,45°)	XD159501WWM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL	Shallowφ200 White-Silver	XD159501WN+XE91228E(φ200,9860lm,ON-OFFタイプ,5000K,45°)	XD159501WWM+XE91228E

- 38 -

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WM+XE44223L(φ300,4515lm,PWM調光タイプ,3500K,40°)	XD157503WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91036L(φ300,5275lm,PWM調光タイプ,3500K,40°)	XD157503WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WM+XE91226E(φ300,4515lm,ON-OFFタイプ,3500K,40°)	XD157503WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WM+XE91227E(φ300,5275lm,ON-OFFタイプ,3500K,40°)	XD157503WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WM+XE91663E(φ300,4515lm,DALI対応タイプ,3500K,40°)	XD157503WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WM+XE91664E(φ300,5275lm,DALI対応タイプ,3500K,40°)	XD157503WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE44223L(φ300,5460lm,PWM調光タイプ,5000K,40°)	XD157503WN+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91036L(φ300,5460lm,PWM調光タイプ,5000K,40°)	XD157503WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91226E(φ300,4670lm,ON-OFFタイプ,5000K,40°)	XD157503WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91227E(φ300,5460lm,ON-OFFタイプ,5000K,40°)	XD157503WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91663E(φ300,4685lm,DALI対応タイプ,5000K,40°)	XD157503WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WN+XE91664E(φ300,5475lm,DALI対応タイプ,5000K,40°)	XD157503WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE44223L(φ300,4685lm,PWM調光タイプ,4000K,40°)	XD157503WW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE91036L(φ300,5475lm,PWM調光タイプ,4000K,40°)	XD157503WW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE91226E(φ300,4685lm,ON-OFFタイプ,4000K,40°)	XD157503WW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE91227E(φ300,5475lm,ON-OFFタイプ,4000K,40°)	XD157503WW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE91663E(φ300,4685lm,DALI対応タイプ,4000K,40°)	XD157503WW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157503WW+XE91664E(φ300,5475lm,DALI対応タイプ,4000K,40°)	XD157503WW+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WA+XE44223L(φ300,4915lm,PWM調光タイプ,2700K,85°)	XD157504WA+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WA+XE91036L(φ300,5740lm,PWM調光タイプ,2700K,85°)	XD157504WA+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91226E(φ300,4915lm,ON-OFFタイプ,2700K,85°)	XD157504WA+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WA+XE91227E(φ300,5740lm,ON-OFFタイプ,2700K,85°)	XD157504WA+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WA+XE91663E(φ300,4915lm,DALI対応タイプ,2700K,85°)	XD157504WA+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WA+XE91664E(φ300,5740lm,DALI対応タイプ,2700K,85°)	XD157504WA+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE44223L(φ300,5030lm,PWM調光タイプ,3000K,85°)	XD157504WL+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91036L(φ300,5875lm,PWM調光タイプ,3000K,85°)	XD157504WL+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91226E(φ300,5030lm,ON-OFFタイプ,3000K,85°)	XD157504WL+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91227E(φ300,5875lm,ON-OFFタイプ,3000K,85°)	XD157504WL+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91663E(φ300,5030lm,DALI対応タイプ,3000K,85°)	XD157504WL+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WL+XE91664E(φ300,5875lm,DALI対応タイプ,3000K,85°)	XD157504WL+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE44223L(φ300,5135lm,PWM調光タイプ,3500K,85°)	XD157504WM+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE91036L(φ300,6000lm,PWM調光タイプ,3500K,85°)	XD157504WM+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE91226E(φ300,5135lm,ON-OFFタイプ,3500K,85°)	XD157504WM+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE91227E(φ300,6000lm,ON-OFFタイプ,3500K,85°)	XD157504WM+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE91663E(φ300,5135lm,DALI対応タイプ,3500K,85°)	XD157504WM+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WM+XE91664E(φ300,6000lm,DALI対応タイプ,3500K,85°)	XD157504WM+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE44223L(φ300,5310lm,PWM調光タイプ,5000K,85°)	XD157504WN+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE91036L(φ300,6210lm,PWM調光タイプ,5000K,85°)	XD157504WN+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE91226E(φ300,5310lm,ON-OFFタイプ,5000K,85°)	XD157504WN+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE91227E(φ300,6210lm,ON-OFFタイプ,5000K,85°)	XD157504WN+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE91663E(φ300,5310lm,DALI対応タイプ,5000K,85°)	XD157504WN+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WN+XE91664E(φ300,6210lm,DALI対応タイプ,5000K,85°)	XD157504WN+XE91664E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE44223L(φ300,5330lm,PWM調光タイプ,4000K,85°)	XD157504WW+XE44223L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE91036L(φ300,6225lm,PWM調光タイプ,4000K,85°)	XD157504WW+XE91036L
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE91226E(φ300,5330lm,ON-OFFタイプ,4000K,85°)	XD157504WW+XE91226E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE91227E(φ300,6225lm,ON-OFFタイプ,4000K,85°)	XD157504WW+XE91227E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE91663E(φ300,5330lm,DALI対応タイプ,4000K,85°)	XD157504WW+XE91663E
X-Pro Base ShallowType	Koizumi X-ProBaseDL Shallowφ300 White-Silver	XD157504WW+XE91664E(φ300,6225lm,DALI対応タイプ,4000K,85°)	XD157504WW+XE91664E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD252515BX+XE91900E(φ150,3360lm,DALI対応タイプ,2700~5000K,50°)	XD252515BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD252515BX+XE91901E(φ150,4745lm,DALI対応タイプ,2700~5000K,50°)	XD252515BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD252516BX+XE91988E(φ150,800lm,DALI対応タイプ,2700~5000K,45°)	XD252516BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD252516BX+XE91989E(φ150,1155lm,DALI対応タイプ,2700~5000K,45°)	XD252516BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD252516BX+XE91990E(φ150,1720lm,DALI対応タイプ,2700~5000K,45°)	XD252516BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD254518BX+XE91988E(φ125,815lm,DALI対応タイプ,2700~5000K,55°)	XD254518BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD254518BX+XE91989E(φ125,1175lm,DALI対応タイプ,2700~5000K,55°)	XD254518BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD254518BX+XE91990E(φ125,1755lm,DALI対応タイプ,2700~5000K,55°)	XD254518BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD256519BX+XE91988E(φ100,580lm,DALI対応タイプ,2700~5000K,65°)	XD256519BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-BlackMirror	XD258519BX+XE91988E(φ75,500lm,DALI対応タイプ,2700~5000K,60°)	XD258519BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD251515BX+XE91900E(φ150,3860lm,DALI対応タイプ,2700~5000K,50°)	XD251515BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD251515BX+XE91901E(φ150,5450lm,DALI対応タイプ,2700~5000K,50°)	XD251515BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD251516BX+XE91988E(φ150,890lm,DALI対応タイプ,2700~5000K,45°)	XD251516BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD251516BX+XE91989E(φ150,1285lm,DALI対応タイプ,2700~5000K,45°)	XD251516BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD251516BX+XE91990E(φ150,1915lm,DALI対応タイプ,2700~5000K,45°)	XD251516BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD253518BX+XE91988E(φ125,920lm,DALI対応タイプ,2700~5000K,55°)	XD253518BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD253518BX+XE91989E(φ125,1330lm,DALI対応タイプ,2700~5000K,55°)	XD253518BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD253518BX+XE91990E(φ125,1980lm,DALI対応タイプ,2700~5000K,55°)	XD253518BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD255519BX+XE91988E(φ100,695lm,DALI対応タイプ,2700~5000K,60°)	XD255519BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable Black-Mirror	XD257519BX+XE91988E(φ75,590lm,DALI対応タイプ,2700~5000K,60°)	XD257519BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD251515WX+XE91900E(φ150,3860lm,DALI対応タイプ,2700~5000K,50°)	XD251515WX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD251515WX+XE91901E(φ150,5450lm,DALI対応タイプ,2700~5000K,50°)	XD251515WX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD251516WX+XE91988E(φ150,890lm,DALI対応タイプ,2700~5000K,45°)	XD251516WX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD251516WX+XE91989E(φ150,1285lm,DALI対応タイプ,2700~5000K,45°)	XD251516WX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD251516WX+XE91990E(φ150,1915lm,DALI対応タイプ,2700~5000K,45°)	XD251516WX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD253518WX+XE91988E(φ125,920lm,DALI対応タイプ,2700~5000K,55°)	XD253518WX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD253518WX+XE91989E(φ125,1330lm,DALI対応タイプ,2700~5000K,55°)	XD253518WX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD253518WX+XE91990E(φ125,1980lm,DALI対応タイプ,2700~5000K,55°)	XD253518WX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD255519WX+XE91988E(φ100,695lm,DALI対応タイプ,2700~5000K,60°)	XD255519WX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Garelless Tunable White-Mirror	XD257519WX+XE91988E(φ75,590lm,DALI対応タイプ,2700~5000K,60°)	XD257519WX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051501BX+XE91900E(φ150,5075lm,DALI対応タイプ,2700~5000K,45°)	XD051501BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051501BX+XE91901E(φ150,7165lm,DALI対応タイプ,2700~5000K,45°)	XD051501BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051502BX+XE91900E(φ150,5715lm,DALI対応タイプ,2700~5000K,70°)	XD051502BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051502BX+XE91901E(φ150,8075lm,DALI対応タイプ,2700~5000K,70°)	XD051502BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051503BX+XE91988E(φ150,1085lm,DALI対応タイプ,2700~5000K,35°)	XD051503BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051503BX+XE91989E(φ150,1570lm,DALI対応タイプ,2700~5000K,35°)	XD051503BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051503BX+XE91990E(φ150,2335lm,DALI対応タイプ,2700~5000K,35°)	XD051503BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051504BX+XE91988E(φ150,1220lm,DALI対応タイプ,2700~5000K,70°)	XD051504BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051504BX+XE91989E(φ150,1765lm,DALI対応タイプ,2700~5000K,70°)	XD051504BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD051504BX+XE91990E(φ150,2630lm,DALI対応タイプ,2700~5000K,70°)	XD051504BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053505BX+XE91900E(φ125,4575lm,DALI対応タイプ,2700~5000K,55°)	XD053505BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053505BX+XE91901E(φ125,6460lm,DALI対応タイプ,2700~5000K,55°)	XD053505BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053506BX+XE91900E(φ125,5290lm,DALI対応タイプ,2700~5000K,75°)	XD053506BX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053506BX+XE91901E(φ125,7470lm,DALI対応タイプ,2700~5000K,75°)	XD053506BX+XE91901E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053507BX+XE91988E(φ125,1070lm,DALI対応タイプ,2700~5000K,50°)	XD053507BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053507BX+XE91989E(φ125,1545lm,DALI対応タイプ,2700~5000K,50°)	XD053507BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053507BX+XE91990E(φ125,2305lm,DALI対応タイプ,2700~5000K,50°)	XD053507BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053508BX+XE91988E(φ125,1145lm,DALI対応タイプ,2700~5000K,75°)	XD053508BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053508BX+XE91989E(φ125,1655lm,DALI対応タイプ,2700~5000K,75°)	XD053508BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD053508BX+XE91990E(φ125,2465lm,DALI対応タイプ,2700~5000K,75°)	XD053508BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055511BX+XE91988E(φ100,995lm,DALI対応タイプ,2700~5000K,55°)	XD055511BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055511BX+XE91989E(φ100,1435lm,DALI対応タイプ,2700~5000K,55°)	XD055511BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055511BX+XE91990E(φ100,2140lm,DALI対応タイプ,2700~5000K,55°)	XD055511BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055512BX+XE91988E(φ100,1010lm,DALI対応タイプ,2700~5000K,70°)	XD055512BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055512BX+XE91989E(φ100,1460lm,DALI対応タイプ,2700~5000K,70°)	XD055512BX+XE91989E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD055512BX+XE91990E(φ100,2175lm,DALI対応タイプ,2700~5000K,70°)	XD055512BX+XE91990E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD057513BX+XE91988E(φ75,790lm,DALI対応タイプ,2700~5000K,45°)	XD057513BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable Black-Silver	XD057514BX+XE91988E(φ75,865lm,DALI対応タイプ,2700~5000K,65°)	XD057514BX+XE91988E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable White-Silver	XD051501WX+XE91900E(φ150,5075lm,DALI対応タイプ,2700~5000K,45°)	XD051501WX+XE91900E
X-Pro Base Tunable	Koizumi X-ProBaseDL Deep Tunable White-Silver	XD051501WX+XE91901E(φ150,7165lm,DALI対応タイプ,2700~5000K,45°)	XD051501WX+XE91901E

[illegible]

- 43 -

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS705808BM(1145lm,3500K,非調光,40°)	XS705808BM
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS705808BW(1220lm,4000K,非調光,40°)	XS705808BW
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706805BA(1305lm,2700K,位相調光,17°)	XS706805BA
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706805BL(1360lm,3000K,位相調光,17°)	XS706805BL
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706805BM(1420lm,3500K,位相調光,17°)	XS706805BM
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706805BW(1515lm,4000K,位相調光,17°)	XS706805BW
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706806BA(1285lm,2700K,位相調光,20°)	XS706806BA
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706806BL(1340lm,3000K,位相調光,20°)	XS706806BL
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706806BM(1400lm,3500K,位相調光,20°)	XS706806BM
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706806BW(1495lm,4000K,位相調光,20°)	XS706806BW
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706807BA(1230lm,2700K,位相調光,30°)	XS706807BA
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706807BL(1280lm,3000K,位相調光,30°)	XS706807BL
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706807BM(1335lm,3500K,位相調光,30°)	XS706807BM
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706807BW(1425lm,4000K,位相調光,30°)	XS706807BW
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706808BA(1055lm,2700K,位相調光,40°)	XS706808BA
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706808BL(1095lm,3000K,位相調光,40°)	XS706808BL
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706808BM(1145lm,3500K,位相調光,40°)	XS706808BM
X-Pro Spot Light	koizumi X-ProSpotLight Msize Black	XS706808BW(1220lm,4000K,位相調光,40°)	XS706808BW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703705WA(1655lm,2700K,非調光,17°)	XS703705WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703705WL(1720lm,3000K,非調光,17°)	XS703705WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703705WM(1790lm,3500K,非調光,17°)	XS703705WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703705WW(1915lm,4000K,非調光,17°)	XS703705WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703706WA(1630lm,2700K,非調光,20°)	XS703706WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703706WL(1695lm,3000K,非調光,20°)	XS703706WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703706WM(1765lm,3500K,非調光,20°)	XS703706WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703706WW(1885lm,4000K,非調光,20°)	XS703706WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703707WA(1555lm,2700K,非調光,30°)	XS703707WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703707WL(1620lm,3000K,非調光,30°)	XS703707WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703707WM(1685lm,3500K,非調光,30°)	XS703707WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703707WW(1800lm,4000K,非調光,30°)	XS703707WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703708WA(1335lm,2700K,非調光,40°)	XS703708WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703708WL(1390lm,3000K,非調光,40°)	XS703708WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703708WM(1445lm,3500K,非調光,40°)	XS703708WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS703708WW(1540lm,4000K,非調光,40°)	XS703708WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704705WA(1655lm,2700K,位相調光,17°)	XS704705WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704705WL(1720lm,3000K,位相調光,17°)	XS704705WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704705WM(1790lm,3500K,位相調光,17°)	XS704705WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704705WW(1915lm,4000K,位相調光,17°)	XS704705WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704706WA(1630lm,2700K,位相調光,20°)	XS704706WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704706WL(1695lm,3000K,位相調光,20°)	XS704706WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704706WM(1765lm,3500K,位相調光,20°)	XS704706WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704706WW(1885lm,4000K,位相調光,20°)	XS704706WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704707WA(1555lm,2700K,位相調光,30°)	XS704707WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704707WL(1620lm,3000K,位相調光,30°)	XS704707WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704707WM(1685lm,3500K,位相調光,30°)	XS704707WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704707WW(1800lm,4000K,位相調光,30°)	XS704707WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704708WA(1335lm,2700K,位相調光,40°)	XS704708WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704708WL(1390lm,3000K,位相調光,40°)	XS704708WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704708WM(1445lm,3500K,位相調光,40°)	XS704708WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS704708WW(1540lm,4000K,位相調光,40°)	XS704708WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705705WA(1305lm,2700K,非調光,17°)	XS705705WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705705WL(1360lm,3000K,非調光,17°)	XS705705WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705705WM(1420lm,3500K,非調光,17°)	XS705705WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705705WW(1515lm,4000K,非調光,17°)	XS705705WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705706WA(1285lm,2700K,非調光,20°)	XS705706WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705706WL(1340lm,3000K,非調光,20°)	XS705706WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705706WM(1400lm,3500K,非調光,20°)	XS705706WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705706WW(1495lm,4000K,非調光,20°)	XS705706WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705707WA(1230lm,2700K,非調光,30°)	XS705707WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705707WL(1280lm,3000K,非調光,30°)	XS705707WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705707WM(1335lm,3500K,非調光,30°)	XS705707WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705707WW(1425lm,4000K,非調光,30°)	XS705707WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705708WA(1055lm,2700K,非調光,40°)	XS705708WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705708WL(1095lm,3000K,非調光,40°)	XS705708WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705708WM(1145lm,3500K,非調光,40°)	XS705708WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS705708WW(1220lm,4000K,非調光,40°)	XS705708WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706705WA(1305lm,2700K,位相調光,17°)	XS706705WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706705WL(1360lm,3000K,位相調光,17°)	XS706705WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706705WM(1420lm,3500K,位相調光,17°)	XS706705WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706705WW(1515lm,4000K,位相調光,17°)	XS706705WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706706WA(1285lm,2700K,位相調光,20°)	XS706706WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706706WL(1340lm,3000K,位相調光,20°)	XS706706WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706706WM(1400lm,3500K,位相調光,20°)	XS706706WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706706WW(1495lm,4000K,位相調光,20°)	XS706706WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706707WA(1230lm,2700K,位相調光,30°)	XS706707WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706707WL(1280lm,3000K,位相調光,30°)	XS706707WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706707WM(1335lm,3500K,位相調光,30°)	XS706707WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706707WW(1425lm,4000K,位相調光,30°)	XS706707WW
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706708WA(1055lm,2700K,位相調光,40°)	XS706708WA
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706708WL(1095lm,3000K,位相調光,40°)	XS706708WL
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706708WM(1145lm,3500K,位相調光,40°)	XS706708WM
X-Pro Spot Light	koizumi X-ProSpotLight Msize White	XS706708WW(1220lm,4000K,位相調光,40°)	XS706708WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707809BA(680lm,2700K,非調光,15°)	XS707809BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707809BB(620lm,2400K,非調光,15°)	XS707809BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707809BL(725lm,3000K,非調光,15°)	XS707809BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707809BM(755lm,3500K,非調光,15°)	XS707809BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707809BW(790lm,4000K,非調光,15°)	XS707809BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707810BA(715lm,2700K,非調光,20°)	XS707810BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707810BB(650lm,2400K,非調光,20°)	XS707810BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707810BL(760lm,3000K,非調光,20°)	XS707810BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707810BM(790lm,3500K,非調光,20°)	XS707810BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707810BW(830lm,4000K,非調光,20°)	XS707810BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707811BA(690lm,2700K,非調光,35°)	XS707811BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707811BB(630lm,2400K,非調光,35°)	XS707811BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707811BL(735lm,3000K,非調光,35°)	XS707811BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707811BM(765lm,3500K,非調光,35°)	XS707811BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707811BW(805lm,4000K,非調光,35°)	XS707811BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707812BA(555lm,2700K,非調光,40°)	XS707812BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707812BB(505lm,2400K,非調光,40°)	XS707812BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707812BL(590lm,3000K,非調光,40°)	XS707812BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707812BM(615lm,3500K,非調光,40°)	XS707812BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS707812BW(645lm,4000K,非調光,40°)	XS707812BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708809BA(680lm,2700K,位相調光,15°)	XS708809BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708809BB(620lm,2400K,位相調光,15°)	XS708809BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708809BL(725lm,3000K,位相調光,15°)	XS708809BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708809BM(755lm,3500K,位相調光,15°)	XS708809BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708809BW(790lm,4000K,位相調光,15°)	XS708809BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708810BA(715lm,2700K,位相調光,20°)	XS708810BA

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708810BB(650lm,2400K,位相調光,20°)	XS708810BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708810BL(760lm,3000K,位相調光,20°)	XS708810BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708810BM(790lm,3500K,位相調光,20°)	XS708810BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708810BW(830lm,4000K,位相調光,20°)	XS708810BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708811BA(690lm,2700K,位相調光,35°)	XS708811BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708811BB(630lm,2400K,位相調光,35°)	XS708811BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708811BL(735lm,3000K,位相調光,35°)	XS708811BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708811BM(765lm,3500K,位相調光,35°)	XS708811BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708811BW(805lm,4000K,位相調光,35°)	XS708811BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708812BA(555lm,2700K,位相調光,40°)	XS708812BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708812BB(505lm,2400K,位相調光,40°)	XS708812BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708812BL(590lm,3000K,位相調光,40°)	XS708812BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708812BM(615lm,3500K,位相調光,40°)	XS708812BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS708812BW(645lm,4000K,位相調光,40°)	XS708812BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709809BA(585lm,2700K,非調光,15°)	XS709809BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709809BB(530lm,2400K,非調光,15°)	XS709809BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709809BL(620lm,3000K,非調光,15°)	XS709809BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709809BM(650lm,3500K,非調光,15°)	XS709809BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709809BW(680lm,4000K,非調光,15°)	XS709809BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709810BA(615lm,2700K,非調光,20°)	XS709810BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709810BB(560lm,2400K,非調光,20°)	XS709810BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709810BL(655lm,3000K,非調光,20°)	XS709810BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709810BM(680lm,3500K,非調光,20°)	XS709810BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709810BW(715lm,4000K,非調光,20°)	XS709810BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709811BA(595lm,2700K,非調光,35°)	XS709811BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709811BB(540lm,2400K,非調光,35°)	XS709811BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709811BL(630lm,3000K,非調光,35°)	XS709811BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709811BM(660lm,3500K,非調光,35°)	XS709811BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709811BW(690lm,4000K,非調光,35°)	XS709811BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709812BA(475lm,2700K,非調光,40°)	XS709812BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709812BB(435lm,2400K,非調光,40°)	XS709812BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709812BL(510lm,3000K,非調光,40°)	XS709812BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709812BM(530lm,3500K,非調光,40°)	XS709812BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS709812BW(555lm,4000K,非調光,40°)	XS709812BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710809BA(585lm,2700K,位相調光,15°)	XS710809BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710809BB(530lm,2400K,位相調光,15°)	XS710809BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710809BL(620lm,3000K,位相調光,15°)	XS710809BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710809BM(650lm,3500K,位相調光,15°)	XS710809BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710809BW(680lm,4000K,位相調光,15°)	XS710809BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710810BA(615lm,2700K,位相調光,20°)	XS710810BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710810BB(560lm,2400K,位相調光,20°)	XS710810BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710810BL(655lm,3000K,位相調光,20°)	XS710810BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710810BM(680lm,3500K,位相調光,20°)	XS710810BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710810BW(715lm,4000K,位相調光,20°)	XS710810BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710811BA(595lm,2700K,位相調光,35°)	XS710811BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710811BB(540lm,2400K,位相調光,35°)	XS710811BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710811BL(630lm,3000K,位相調光,35°)	XS710811BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710811BM(660lm,3500K,位相調光,35°)	XS710811BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710811BW(690lm,4000K,位相調光,35°)	XS710811BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710812BA(475lm,2700K,位相調光,40°)	XS710812BA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710812BB(435lm,2400K,位相調光,40°)	XS710812BB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710812BL(510lm,3000K,位相調光,40°)	XS710812BL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710812BM(530lm,3500K,位相調光,40°)	XS710812BM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize Black	XS710812BW(555lm,4000K,位相調光,40°)	XS710812BW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS707709WA(680lm,2700K,非調光,15°)	XS707709WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS707709WB(620lm,2400K,非調光,15°)	XS707709WB</

シリーズ名	ファミリ名	タイプ名	モデル
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709711WW(690lm,4000K,非調光,35°)	XS709711WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709712WA(475lm,2700K,非調光,40°)	XS709712WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709712WB(435lm,2400K,非調光,40°)	XS709712WB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709712WL(510lm,3000K,非調光,40°)	XS709712WL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709712WM(530lm,3500K,非調光,40°)	XS709712WM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS709712WW(555lm,4000K,非調光,40°)	XS709712WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710709WA(585lm,2700K,位相調光,15°)	XS710709WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710709WB(530lm,2400K,位相調光,15°)	XS710709WB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710709WL(620lm,3000K,位相調光,15°)	XS710709WL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710709WM(650lm,3500K,位相調光,15°)	XS710709WM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710709WW(680lm,4000K,位相調光,15°)	XS710709WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710710WA(615lm,2700K,位相調光,20°)	XS710710WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710710WB(560lm,2400K,位相調光,20°)	XS710710WB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710710WL(655lm,3000K,位相調光,20°)	XS710710WL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710710WM(680lm,3500K,位相調光,20°)	XS710710WM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710710WW(715lm,4000K,位相調光,20°)	XS710710WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710711WA(595lm,2700K,位相調光,35°)	XS710711WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710711WB(540lm,2400K,位相調光,35°)	XS710711WB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710711WL(630lm,3000K,位相調光,35°)	XS710711WL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710711WM(660lm,3500K,位相調光,35°)	XS710711WM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710711WW(690lm,4000K,位相調光,35°)	XS710711WW
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710712WA(475lm,2700K,位相調光,40°)	XS710712WA
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710712WB(435lm,2400K,位相調光,40°)	XS710712WB
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710712WL(510lm,3000K,位相調光,40°)	XS710712WL
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710712WM(530lm,3500K,位相調光,40°)	XS710712WM
X-Pro Spot Light	koizumi X-ProSpotLight Ssize White	XS710712WW(555lm,4000K,位相調光,40°)	XS710712WW
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53684(480lm,2400K,位相調光,14°)	XS53684
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53685(465lm,2400K,位相調光,25°)	XS53685
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53686(480lm,2400K,位相調光,35°)	XS53686
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53690(515lm,2700K,位相調光,14°)	XS53690
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53691(500lm,2700K,位相調光,25°)	XS53691
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53692(520lm,2700K,位相調光,35°)	XS53692
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53704(550lm,3000K,位相調光,14°)	XS53704
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53705(530lm,3000K,位相調光,25°)	XS53705
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53706(550lm,3000K,位相調光,35°)	XS53706
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53710(330lm,2400K,非調光,14°)	XS53710
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53711(320lm,2400K,非調光,25°)	XS53711
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53712(330lm,2400K,非調光,35°)	XS53712
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53718(355lm,2700K,非調光,14°)	XS53718
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53719(345lm,2700K,非調光,25°)	XS53719
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53720(355lm,2700K,非調光,35°)	XS53720
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53724(380lm,3000K,非調光,14°)	XS53724
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53725(365lm,3000K,非調光,25°)	XS53725
X-Pro Spot Light	koizumi X-ProSpotLight XSsize Black	XS53726(380lm,3000K,非調光,35°)	XS53726
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53681(480lm,2400K,位相調光,14°)	XS53681
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53682(465lm,2400K,位相調光,25°)	XS53682
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53683(480lm,2400K,位相調光,35°)	XS53683
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53687(515lm,2700K,位相調光,14°)	XS53687
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53688(500lm,2700K,位相調光,25°)	XS53688
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53689(520lm,2700K,位相調光,35°)	XS53689
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53701(550lm,3000K,位相調光,14°)	XS53701
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53702(530lm,3000K,位相調光,25°)	XS53702
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53703(550lm,3000K,位相調光,35°)	XS53703
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53707(330lm,2400K,非調光,14°)	XS53707
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53708(320lm,2400K,非調光,25°)	XS53708
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53709(330lm,2400K,非調光,35°)	XS53709
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53715(355lm,2700K,非調光,14°)	XS53715
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53716(345lm,2700K,非調光,25°)	XS53716
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53717(355lm,2700K,非調光,35°)	XS53717
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53721(380lm,3000K,非調光,14°)	XS53721
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53722(365lm,3000K,非調光,25°)	XS53722
X-Pro Spot Light	koizumi X-ProSpotLight XSsize White	XS53723(380lm,3000K,非調光,35°)	XS53723
micro	Koizumi_microLinearBankSystem Black	XS46285L(605lm,位相調光タイプ,2700K,20°)	XS46285L
micro	Koizumi_microLinearBankSystem Black	XS46286L(480lm,位相調光タイプ,2700K,30°)	XS46286L
micro	Koizumi_microLinearBankSystem Black	XS46287L(625lm,位相調光タイプ,3000K,20°)	XS46287L
micro	Koizumi_microLinearBankSystem Black	XS46288L(495lm,位相調光タイプ,3000K,30°)	XS46288L
micro	Koizumi_microLinearBankSystem Black	XS47811L(765lm,位相調光タイプ,2700K,20°)	XS47811L
micro	Koizumi_microLinearBankSystem Black	XS47812L(605lm,位相調光タイプ,2700K,30°)	XS47812L
micro	Koizumi_microLinearBankSystem Black	XS47814L(795lm,位相調光タイプ,3000K,20°)	XS47814L
micro	Koizumi_microLinearBankSystem Black	XS47815L(630lm,位相調光タイプ,3000K,30°)	XS47815L
micro	Koizumi_microLinearBankSystem Black	XS47817L(815lm,位相調光タイプ,3500K,20°)	XS47817L
micro	Koizumi_microLinearBankSystem Black	XS47818L(645lm,位相調光タイプ,3500K,30°)	XS47818L
micro	Koizumi_microLinearBankSystem Black	XS47820L(835lm,位相調光タイプ,4000K,20°)	XS47820L
micro	Koizumi_microLinearBankSystem Black	XS47821L(660lm,位相調光タイプ,4000K,30°)	XS47821L
micro	Koizumi_microLinearBankSystem Black	XS48275L(640lm,位相調光タイプ,2500K,20°)	XS48275L
micro	Koizumi_microLinearBankSystem Black	XS48276L(505lm,位相調光タイプ,2500K,30°)	XS48276L
Indirect Light Bar	koizumi_IndirectLightBar	AL52745(1500mm,2865lm,2700K,非調光,散光)	AL52745
Indirect Light Bar	koizumi_IndirectLightBar	AL52746(1200mm,2295lm,2700K,非調光,散光)	AL52746
Indirect Light Bar	koizumi_IndirectLightBar	AL52747(900mm,1720lm,2700K,非調光,散光)	AL52747
Indirect Light Bar	koizumi_IndirectLightBar	AL52748(600mm,1145lm,2700K,非調光,散光)	AL52748
Indirect Light Bar	koizumi_IndirectLightBar	AL52749(300mm,550lm,2700K,非調光,散光)	AL52749
Indirect Light Bar	koizumi_IndirectLightBar	AL52750(1500mm,2900lm,3000K,非調光,散光)	AL52750
Indirect Light Bar	koizumi_IndirectLightBar	AL52751(1200mm,2320lm,3000K,非調光,散光)	AL52751
Indirect Light Bar	koizumi_IndirectLightBar	AL52752(900mm,1740lm,3000K,非調光,散光)	AL52752
Indirect Light Bar	koizumi_IndirectLightBar	AL52753(600mm,1160lm,3000K,非調光,散光)	AL52753
Indirect Light Bar	koizumi_IndirectLightBar	AL52754(300mm,555lm,3000K,非調光,散光)	AL52754
Indirect Light Bar	koizumi_IndirectLightBar	AL52755(1500mm,2950lm,3500K,非調光,散光)	AL52755
Indirect Light Bar	koizumi_IndirectLightBar	AL52756(1200mm,2360lm,3500K,非調光,散光)	AL52756
Indirect Light Bar	koizumi_IndirectLightBar	AL52757(900mm,1770lm,3500K,非調光,散光)	AL52757
Indirect Light Bar	koizumi_IndirectLightBar	AL52758(600mm,1180lm,3500K,非調光,散光)	AL52758
Indirect Light Bar	koizumi_IndirectLightBar	AL52759(300mm,565lm,3500K,非調光,散光)	AL52759
Indirect Light Bar	koizumi_IndirectLightBar	AL52760(1500mm,3000lm,4000K,非調光,散光)	AL52760
Indirect Light Bar	koizumi_IndirectLightBar	AL52761(1200mm,2400lm,4000K,非調光,散光)	AL52761
Indirect Light Bar	koizumi_IndirectLightBar	AL52762(900mm,1800lm,4000K,非調光,散光)	AL52762
Indirect Light Bar	koizumi_IndirectLightBar	AL52763(600mm,1200lm,4000K,非調光,散光)	AL52763
Indirect Light Bar	koizumi_IndirectLightBar	AL52764(300mm,575lm,4000K,非調光,散光)	AL52764
Indirect Light Bar	koizumi_IndirectLightBar	AL52765(1500mm,3100lm,5000K,非調光,散光)	AL52765
Indirect Light Bar	koizumi_IndirectLightBar	AL52766(1200mm,2480lm,5000K,非調光,散光)	AL52766
Indirect Light Bar	koizumi_IndirectLightBar	AL52767(900mm,1860lm,5000K,非調光,散光)	AL52767
Indirect Light Bar	koizumi_IndirectLightBar	AL52768(600mm,1240lm,5000K,非調光,散光)	AL52768
Indirect Light Bar	koizumi_IndirectLightBar	AL52769(300mm,595lm,5000K,非調光,散光)	AL52769
Indirect Light Bar	koizumi_IndirectLightBar	AL52792(1500mm,3010lm,2700K,非調光,中角)	AL52792
Indirect Light Bar	koizumi_IndirectLightBar	AL52793(1200mm,2405lm,2700K,非調光,中角)	AL52793
Indirect Light Bar	koizumi_IndirectLightBar	AL52794(900mm,1805lm,2700K,非調光,中角)	AL52794
Indirect Light Bar	koizumi_IndirectLightBar	AL52795(600mm,1205lm,2700K,非調光,中角)	AL52795
Indirect Light Bar	koizumi_IndirectLightBar	AL52796(300mm,580lm,2700K,非調光,中角)	AL52796
Indirect Light Bar	koizumi_IndirectLightBar	AL52797(1500mm,3095lm,3500K,非調光,中角)	AL52797
Indirect Light Bar	koizumi_IndirectLightBar	AL52798(1200mm,2475lm,3500K,非調光,中角)	AL52798

シリーズ名	ファミリ名	タイプ名	モデル
Indirect Light Bar	koizumi IndirectLightBar	AL52799(900mm,1855lm,3500K,非調光,中角)	AL52799
Indirect Light Bar	koizumi IndirectLightBar	AL52800(600mm,1240lm,3500K,非調光,中角)	AL52800
Indirect Light Bar	koizumi IndirectLightBar	AL52801(300mm,595lm,3500K,非調光,中角)	AL52801
Indirect Light Bar	koizumi IndirectLightBar	AL53507(1500mm,3255lm,5000K,非調光,中角)	AL53507
Indirect Light Bar	koizumi IndirectLightBar	AL53508(1200mm,2605lm,5000K,非調光,中角)	AL53508
Indirect Light Bar	koizumi IndirectLightBar	AL53509(900mm,1950lm,5000K,非調光,中角)	AL53509
Indirect Light Bar	koizumi IndirectLightBar	AL53510(600mm,1300lm,5000K,非調光,中角)	AL53510
Indirect Light Bar	koizumi IndirectLightBar	AL53511(300mm,625lm,5000K,非調光,中角)	AL53511
Indirect Light Bar	koizumi IndirectLightBar	XL53600(1500mm,2865lm,2700K,PWM DALI調光,散光)	XL53600
Indirect Light Bar	koizumi IndirectLightBar	XL53601(1200mm,2295lm,2700K,PWM DALI調光,散光)	XL53601
Indirect Light Bar	koizumi IndirectLightBar	XL53602(900mm,1720lm,2700K,PWM DALI調光,散光)	XL53602
Indirect Light Bar	koizumi IndirectLightBar	XL53603(600mm,1145lm,2700K,PWM DALI調光,散光)	XL53603
Indirect Light Bar	koizumi IndirectLightBar	XL53604(1500mm,2900lm,3000K,PWM DALI調光,散光)	XL53604
Indirect Light Bar	koizumi IndirectLightBar	XL53605(1200mm,2320lm,3000K,PWM DALI調光,散光)	XL53605
Indirect Light Bar	koizumi IndirectLightBar	XL53606(900mm,1740lm,3000K,PWM DALI調光,散光)	XL53606
Indirect Light Bar	koizumi IndirectLightBar	XL53607(600mm,1160lm,3000K,PWM DALI調光,散光)	XL53607
Indirect Light Bar	koizumi IndirectLightBar	XL53608(1500mm,2950lm,3500K,PWM DALI調光,散光)	XL53608
Indirect Light Bar	koizumi IndirectLightBar	XL53609(1200mm,2360lm,3500K,PWM DALI調光,散光)	XL53609
Indirect Light Bar	koizumi IndirectLightBar	XL53610(900mm,1770lm,3500K,PWM DALI調光,散光)	XL53610
Indirect Light Bar	koizumi IndirectLightBar	XL53611(600mm,1180lm,3500K,PWM DALI調光,散光)	XL53611
Indirect Light Bar	koizumi IndirectLightBar	XL53612(1500mm,3000lm,4000K,PWM DALI調光,散光)	XL53612
Indirect Light Bar	koizumi IndirectLightBar	XL53613(1200mm,2400lm,4000K,PWM DALI調光,散光)	XL53613
Indirect Light Bar	koizumi IndirectLightBar	XL53614(900mm,1800lm,4000K,PWM DALI調光,散光)	XL53614
Indirect Light Bar	koizumi IndirectLightBar	XL53615(600mm,1200lm,4000K,PWM DALI調光,散光)	XL53615
Indirect Light Bar	koizumi IndirectLightBar	XL53616(1500mm,3100lm,5000K,PWM DALI調光,散光)	XL53616
Indirect Light Bar	koizumi IndirectLightBar	XL53617(1200mm,2480lm,5000K,PWM DALI調光,散光)	XL53617
Indirect Light Bar	koizumi IndirectLightBar	XL53618(900mm,1860lm,5000K,PWM DALI調光,散光)	XL53618
Indirect Light Bar	koizumi IndirectLightBar	XL53619(600mm,1240lm,5000K,PWM DALI調光,散光)	XL53619
Indirect Light Bar	koizumi IndirectLightBar	XL53624(1500mm,3010lm,2700K,PWM DALI調光,中角)	XL53624
Indirect Light Bar	koizumi IndirectLightBar	XL53625(1200mm,2405lm,2700K,PWM DALI調光,中角)	XL53625
Indirect Light Bar	koizumi IndirectLightBar	XL53626(900mm,1805lm,2700K,PWM DALI調光,中角)	XL53626
Indirect Light Bar	koizumi IndirectLightBar	XL53627(600mm,1205lm,2700K,PWM DALI調光,中角)	XL53627
Indirect Light Bar	koizumi IndirectLightBar Tunable	XL53620(1500mm,2865lm,2700K~5000K,DALI調光調色,散光)	XL53620
Indirect Light Bar	koizumi IndirectLightBar Tunable	XL53621(1200mm,2295lm,2700K~5000K,DALI調光調色,散光)	XL53621
Indirect Light Bar	koizumi IndirectLightBar Tunable	XL53622(900mm,1720lm,2700K~5000K,DALI調光調色,散光)	XL53622
Indirect Light Bar	koizumi IndirectLightBar Tunable	XL53623(600mm,1145lm,2700K~5000K,DALI調光調色,散光)	XL53623
Emergency Light	Koizumi EmergencyLight Black Embedded	AR50619(M形非常灯,φ100mm,非常用ハロゲン9W相当)	AR50619
Emergency Light	Koizumi EmergencyLight Black Embedded	AR50620(M形非常灯,φ100mm,非常用ハロゲン13W相当)	AR50620
Emergency Light	Koizumi EmergencyLight Black Embedded	AR50623(S形非常灯,φ100mm,非常用ハロゲン13W相当)	AR50623
Emergency Light	Koizumi EmergencyLight White Embedded	AR50616(M形非常灯,φ100mm,非常用ハロゲン9W相当)	AR50616
Emergency Light	Koizumi EmergencyLight White Embedded	AR50617(M形非常灯,φ100mm,非常用ハロゲン13W相当)	AR50617
Emergency Light	Koizumi EmergencyLight White Embedded	AR50618(M形非常灯,φ100mm,非常用ハロゲン30W相当)	AR50618
Emergency Light	Koizumi EmergencyLight White Embedded	AR50621(S形非常灯,φ150mm,非常用ハロゲン13W相当)	AR50621
Emergency Light	Koizumi EmergencyLight White Embedded	AR50622(S形非常灯,φ100mm,非常用ハロゲン13W相当)	AR50622